

# **VITAL STATISTICS**

**STATE OF  
MISSOURI**



**1952**

**JEFFERSON CITY, MISSOURI**



The Department of Public Health and Welfare of Missouri

DIVISION OF HEALTH

Bureau of Vital Statistics

This report is the fourth in the new series and in the new format. As indicated in the 1949 report, published in 1954, these tables are being published at this late date so as to keep a continuous comparative series available for the analysts of the future.

Since nothing of special significance arose during 1952, the detailed summary of type appearing in the 1950 report has been omitted. Except for slight improvement in the quality of the records offered for filing and a slight increase in requests for records for legal purposes, the year 1952 shows no change from its immediate predecessors.

August 1955



# INDEX TO TABLES

Table A.	Total Population, Recorded Births and Deaths by Years: 1911-1952
Table B.	Resident Live Births, Deaths, Infant Deaths, and Stillbirths by Counties with Rates: 1952
Table C.	Recorded Live Births, Deaths, Infant Deaths, and Stillbirths by Counties with Rates: 1952
Table D.	Stillbirths, Recorded and Resident, by Period of Gestation: 1952
Table E.	Resident Births, Urban and Rural, by age of Mother; Sex and Color of Child: 1952
Table F.	Selected Resident Live Birth Statistics with Percentages. Three Missouri Areas: 1952
Table G.	Resident Infant Deaths by Age, Cause, and Color, with Rates by Cause and Color: 1952
Table H.	Resident Maternal Deaths by Cause and Color with Rates: 1952
Table I.	Ten Leading Causes of Death with Rates: 1952
Table J.	Recorded Accidental Deaths by Type and Age: 1952
Table K.	Accidental Deaths by Type and County or City of Occurrence: 1952
Table L.	Resident Deaths by Age Groups, Sex, Color, and Important Causes, for the State: 1952
Table M.	Recorded Deaths from Communicable Diseases by Cause and County: 1952
Table N.	Reported Cases for 25 Selected Diseases by County and City: 1952
Table O.	Reported Cases for 22 Selected Diseases by Month of Receipt of Report: 1952
Table AA.	Marriages by Year of Birth; Groom Versus Bride: 1952
Table BB.	Marriages by Marital Status; Groom Versus Bride: 1952
Table CC.	Marriages by Marital Status and Selected Age Groups; Grooms and Brides: 1952
Table DD.	Marriages by Color of Groom: 1952
Table EE.	Divorces and Annulments by Number of Children Affected: 1952
Table FF.	Divorces and Annulments: Complainant versus to Whom Decree Granted: 1952
Table GG.	Divorces and Annulments: Complainant versus Disposition of Children: 1952



# INDEX TO TABLES (Continued)

Table HH.	Divorces and Annulments by Number of Cases Contested: 1952
Table JJ.	Divorces and Annulments by Alimony and Settlements: 1952
Table KK.	Divorces by Cause or Grounds Alleged: 1952
Table LL.	Divorces and Annulments: Sex and Color; Husband versus Wife: 1952
Table MM.	Divorces and Annulments by State of Marriage: 1952
Table NN.	Divorces and Annulments; Number of Previous Marriages; Husband versus Wife: 1952
Table PP.	Divorces by Age of Husband and of Wife, and by Number of Times Married: 1952

## Births by Attendant and Deaths from Important Causes with Rates Missouri Areas, Resident Data: 1952

	Page
State Total.....	1
Urban Total.....	1
Rural Total.....	1
Counties: Adair to Wright.....	2-30
Cities of 10,000 population or more.....	30-37



TABLE A

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION  
AND EXCESS OF BIRTHS OVER DEATHS. MISSOURI: 1911 - TO DATE.

Year	Estimated Mid-Year Population	BIRTHS		DEATHS		Excess Births over Deaths
		Number	Rate	Number	Rate	
1911	3,307,116	74,130	22.4	43,479	13.1	30,651
1912	3,318,520	75,452	22.7	42,139	12.7	33,313
1913	3,329,925	75,231	22.6	42,130	12.7	33,101
1914	3,341,330	73,925	22.1	41,743	12.5	32,182
1915	3,352,734	71,543	21.3	40,863	12.2	30,680
1916	3,364,139	73,486	21.8	44,705	13.3	28,781
1917	3,375,543	67,041	19.9	45,564	13.5	21,477
1918	3,386,948	64,001	18.9	51,925	15.3	12,076
1919	3,398,353	61,193	18.0	39,282	11.6	21,911
1920	3,415,046	65,416	19.2	42,572	12.5	22,844
1921	3,437,027	66,970	19.5	36,210	10.5	30,760
1922	3,459,009	64,388	18.6	38,417	11.1	25,971
1923	3,480,991	66,691	19.2	41,853	12.0	24,838
1924	3,502,972	68,961	19.7	40,463	11.6	28,498
1925	3,524,954	68,293	19.4	41,332	11.7	26,961
1926	3,546,936	66,611	18.8	42,684	12.0	23,927
1927	3,568,917	66,401	18.6	40,853	11.4	25,548
1928	3,590,889	63,401	17.7	45,219	12.6	18,182
1929	3,612,881	60,980	16.9	44,262	12.3	16,718
1930	3,633,250	62,011	17.1	42,924	11.8	19,087
1931	3,648,780	60,201	16.5	43,999	12.1	16,202
1932	3,664,310	59,755	16.3	43,695	11.9	16,060
1933	3,679,840	57,717	15.7	43,368	11.8	14,349
1934	3,695,370	60,317	16.3	46,685	12.6	13,632
1935	3,710,900	57,299	15.4	43,201	11.6	14,098
1936	3,726,430	55,916	15.0	48,767	13.1	7,149
1937	3,741,960	57,270	15.3	45,160	12.1	12,110
1938	3,757,490	59,365	15.8	42,578	11.3	16,787
1939	3,773,020	59,688	15.8	42,693	11.3	16,995
1940	3,788,550	62,545	16.5	43,950	11.6	18,595
1941	3,805,637	66,268	17.4	43,295	11.4	22,973
1942	3,802,813	72,575	19.1	42,117	11.1	30,458
1943	3,750,496	74,820	19.9	44,437	11.8	30,383
1944	3,589,303	69,982	19.5	42,347	11.8	27,635
1945	3,556,693	67,693	19.0	42,757	12.0	24,936
1946	3,780,471	82,901	21.9	42,640	11.3	40,261
1947	3,853,930	92,369	24.0	44,762	11.6	47,607
1948	3,947,000	87,005	22.0	42,921	10.9	44,084
1949	3,920,000	87,372	22.3	43,995	11.2	43,377
1950	3,959,100	87,948	22.2	43,962	11.1	43,986
1951	4,043,000	92,664	22.9	44,318	11.0	48,346
1952	3,993,700	92,931	23.3	45,245	11.3	47,686

Sources: 1911-1934 and 1937-1942 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the U. S. Bureau of the Census. Population estimates 1930 to date based on census population releases by the U. S. Bureau of the Census.



RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES  
WITH RATES - 1952

	Popula- tion	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
State Total	3,993,700	90,118	45,051	2,554	1,576	22.6	11.3	28.3	17.5
Cities 10,000 over		46,604	23,283	1,323	865				
Rural		43,514	21,768	1,231	711				
Counties Including Cities 10,000 over									
Adair	19,800	377	250	11	5	19.1	12.6	29.2	13.3
Andrew	11,500	177	157	3	4	15.4	13.7	16.9	22.6
Atchison	10,900	200	122	5	2	18.3	11.2	25.0	10.0
Audrain	24,700	616	250	18	11	24.9	10.1	29.2	17.9
Barry	21,600	370	248	18	8	17.1	11.5	48.6	21.6
Barton	12,500	255	143	4	3	20.4	11.4	15.7	11.8
Bates	17,200	265	204	5	5	15.4	11.9	18.9	18.9
Benton	8,900	144	111	2	5	16.2	12.5	13.9	34.7
Bollinger	10,900	173	104	6	2	15.9	9.5	34.7	11.6
Boone	47,800	857	411	13	10	17.9	8.6	15.2	11.7
Buchanan	97,000	1,784	1,161	58	38	18.4	12.0	32.5	21.3
Butler	38,100	808	405	48	14	21.2	10.6	59.4	17.3
Caldwell	9,700	156	140	4	4	16.1	14.4	25.6	25.6
Callaway	23,400	393	226	11	3	16.8	9.7	28.0	7.6
Camden	7,700	161	87	6	-	20.9	11.3	37.3	-
Cape Girardeau	38,300	898	339	16	10	23.4	8.9	17.8	11.1
Carroll	15,300	294	195	7	2	19.2	12.7	23.8	6.8
Carter	4,800	95	69	4	1	19.8	14.4	42.1	10.5
Cass	19,200	378	235	10	6	19.7	12.3	26.5	15.9
Cedar	10,400	184	162	3	2	17.7	15.6	16.3	10.9
Chariton	14,600	265	198	11	3	18.2	13.6	41.5	11.3
Christian	12,300	239	141	8	8	19.4	11.5	33.5	33.5
Clark	8,800	187	129	7	3	21.3	14.7	37.4	16.0
Clay	48,000	1,379	412	22	15	28.7	8.6	16.0	10.9
Clinton	11,500	194	174	7	1	16.9	15.1	36.1	5.2
Cole	35,700	747	290	11	14	20.9	8.1	14.7	18.7
Cooper	16,400	263	181	7	7	16.0	11.0	26.6	26.6
Crawford	11,500	239	151	9	4	20.8	13.1	37.7	16.7
Dade	9,100	149	124	4	-	16.4	13.6	26.8	-
Dallas	10,300	153	96	4	2	14.9	9.3	26.1	13.1
Daviess	10,900	170	127	3	5	15.6	11.7	17.6	29.4
DeKalb	7,900	130	83	1	2	16.5	10.5	7.7	15.4
Dent	10,800	204	128	7	7	18.9	11.9	34.3	34.3
Douglas	12,500	238	96	5	4	19.0	7.7	21.0	16.8
Dunklin	45,500	1,073	378	47	22	23.6	8.3	43.8	20.5
Franklin	36,600	875	407	27	15	23.9	11.1	30.9	17.1
Gasconade	12,400	231	141	6	6	18.6	11.4	26.0	26.0
Gentry	10,700	176	123	2	6	16.4	11.5	11.4	34.1
Greene	107,500	2,337	1,093	59	31	21.7	10.2	25.2	13.3
Grundy	13,100	231	196	12	4	17.6	15.0	51.9	17.3
Harrison	13,800	234	172	7	1	17.0	12.5	29.9	4.3
Henry	19,800	358	285	10	9	18.1	14.4	27.9	25.1
Hickory	5,300	84	55	2	1	15.8	10.4	23.8	11.9



RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES  
WITH RATES - 1952 - Continued

	Popula- tion	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
Holt	9,800	148	139	5	2	15.1	14.2	33.8	13.5
Howard	11,700	207	173	9	1	17.7	14.8	43.5	4.8
Howell	22,800	542	252	18	4	23.8	11.1	33.2	7.4
Iron	9,400	171	131	5	3	18.2	13.9	29.2	17.5
Jackson	552,000	13,590	6,355	372	202	24.6	11.5	27.4	14.9
Jasper	79,200	1,631	982	46	23	20.6	12.4	28.2	14.1
Jefferson	39,800	1,151	373	17	14	28.9	9.4	14.8	12.2
Johnson	22,200	343	284	14	2	15.5	12.8	40.8	5.8
Knox	7,400	144	95	5	-	19.5	12.8	34.7	-
Laclede	19,100	460	186	10	6	24.1	9.3	21.7	13.0
Lafayette	25,000	537	311	17	5	21.5	12.4	31.7	9.3
Lawrence	23,300	418	264	11	5	17.9	11.3	26.3	12.0
Lewis	10,500	175	183	6	3	16.7	17.4	34.3	17.1
Lincoln	13,500	260	172	4	6	19.3	12.7	15.4	23.1
Linn	18,500	320	272	11	6	17.3	14.7	34.4	18.8
Livingston	16,400	301	194	9	4	18.4	11.8	29.9	13.3
McDonald	14,200	256	128	6	5	18.0	9.0	23.4	19.5
Macon	17,900	277	254	5	1	15.5	14.2	18.1	3.6
Madison	10,400	198	100	3	4	19.0	9.6	15.2	20.2
Maries	7,300	155	75	1	3	21.2	10.3	6.5	19.4
Marion	29,500	604	388	9	13	20.5	13.2	14.9	21.5
Mercer	7,000	110	87	4	3	15.7	12.4	36.4	27.3
Miller	13,700	311	136	5	6	22.7	9.9	16.1	19.3
Mississippi	22,600	605	223	32	10	26.8	9.9	52.9	16.5
Moniteau	10,700	208	151	5	6	19.4	14.1	24.0	28.8
Monroe	11,100	173	162	5	5	15.6	14.6	28.9	28.9
Montgomery	11,400	218	158	6	6	19.1	13.9	27.5	27.5
Morgan	10,100	180	113	4	3	17.8	11.2	22.2	16.7
New Madrid	40,200	919	335	55	14	22.9	8.3	59.8	15.2
Newton	28,400	562	300	13	8	19.8	10.6	23.1	14.2
Nodaway	23,800	435	281	10	4	18.3	6.5	23.0	9.2
Oregon	11,900	170	91	4	1	14.3	7.6	23.5	5.9
Osage	11,200	260	102	5	7	23.2	9.1	19.2	26.9
Ozark	8,700	121	50	3	3	13.9	5.7	24.8	24.8
Pemiscot	45,800	1,098	426	56	27	24.0	9.3	51.0	24.9
Perry	14,800	371	117	7	8	25.1	7.9	18.9	21.6
Pettis	32,500	651	425	14	21	20.0	13.1	21.5	32.3
Phelps	21,800	537	232	18	14	24.6	10.6	33.5	26.1
Pike	16,600	364	191	10	6	21.9	11.5	27.5	16.5
Platte	15,800	322	166	6	4	20.4	10.5	18.6	12.4
Polk	15,900	239	174	6	3	15.0	10.9	25.1	12.6
Pulaski	10,400	486	148	19	7	46.7	14.2	39.1	14.4
Putnam	8,900	138	113	3	-	15.5	12.7	21.7	-
Ralls	8,500	169	106	5	3	19.9	12.5	29.6	17.8
Randolph	22,600	440	353	18	7	19.5	15.6	40.9	15.9
Ray	15,700	298	235	9	5	19.0	15.0	30.2	16.8
Reynolds	6,700	133	70	8	4	19.9	10.4	60.2	30.1
Ripley	11,400	206	123	6	1	18.1	10.8	29.1	4.9
St. Charles	30,300	823	332	18	10	27.2	11.0	21.9	12.2
St. Clair	10,200	153	126	2	-	15.0	12.4	13.1	-
St. Francois	35,300	753	351	22	9	21.3	9.9	29.2	12.0



RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES  
WITH RATES - 1952 - Continued

	NUMBER					RATES*			
	Popula- tion	Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
Ste. Genevieve	11,400	297	95	8	3	26.1	8.3	26.9	10.1
St. Louis	430,000	11,698	3,627	227	163	27.2	8.4	19.4	13.9
Saline	26,400	443	321	17	12	16.8	12.2	38.4	27.1
Schuyler	5,600	102	86	5	2	18.2	15.4	49.0	19.6
Scotland	7,200	112	82	1	2	15.6	11.4	8.9	17.9
Scott	33,000	853	313	31	20	25.8	9.5	36.3	23.4
Shannon	8,200	153	97	4	5	18.7	11.8	26.1	32.7
Shelby	9,500	179	152	2	3	18.8	16.0	11.2	16.8
Stoddard	33,500	772	323	31	13	23.0	9.6	40.2	16.8
Stone	9,600	153	86	3	6	15.9	9.0	19.6	39.2
Sullivan	11,000	178	147	6	2	16.2	13.4	33.7	11.2
Taney	10,000	164	114	3	3	16.4	11.4	18.3	18.3
Texas	18,900	388	172	6	12	20.5	9.1	15.5	30.9
Vernon	22,400	321	261	8	6	14.3	11.7	24.9	18.7
Warren	7,700	127	114	6	6	16.5	14.8	47.2	47.2
Washington	14,600	366	151	19	7	25.1	10.3	51.9	19.1
Wayne	10,400	165	100	4	4	15.9	9.6	24.2	24.2
Webster	15,000	303	165	2	3	20.2	11.0	6.6	9.9
Worth	5,000	94	60	-	1	18.8	12.0	-	10.6
Wright	15,700	314	172	14	6	20.0	11.0	44.6	19.1
St. Louis City	860,000	20,854	11,026	666	475	24.2	12.8	31.9	22.8

Cities over 10,000

Cape Girardeau	508	185	9	5
Carthage	222	146	4	3
Clayton	357	183	4	2
Columbia	574	254	11	9
Ferguson	431	100	5	6
Fulton	147	91	4	1
Hannibal	400	282	9	10
Independence	1,148	374	20	15
Jefferson City	499	196	6	12
Jennings	388	110	5	5
Joplin	823	485	27	12
Kansas City	10,943	5,465	308	169
Kirksville	268	161	8	1
Kirkwood	643	207	13	14
Maplewood	289	154	11	4
Mexico	323	119	6	7
Moberly	263	208	12	3
Overland	983	202	15	17
Poplar Bluff	378	216	23	3
Richmond Heights	343	153	10	8
St. Charles	441	163	12	3
St. Joseph	1,443	986	48	24
St. Louis City	20,854	11,026	666	475
Sedalia	455	289	10	13
Sikeston	347	117	13	10
Springfield	1,617	787	42	19
University City	923	392	15	6
Webster Groves	594	232	7	9

\*Rates for Live Births and Deaths are per 1,000 population.  
Rates for Infant Deaths and Stillbirths are per 1,000 Live Births.  
Rates for cities not given as population figures were not available.



TABLE C

RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES  
WITH RATES - 1952

	Popula- tion	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
State Total	3,993,700	92,931	45,245	2,620	1,671	23.3	11.3	28.1	18.0
Cities 10,000 over		68,009	27,105	1,900	1,252				
Rural		24,922	18,140	720	419				
Counties Including Cities 10,000 over									
Adair	19,800	880	444	22	12	44.4	22.4	25.0	13.6
Andrew	11,500	18	100	-	-	1.6	8.7	-	-
Atchison	10,900	166	99	2	1	15.2	9.1	12.0	6.0
Audrain	24,700	725	239	19	15	29.4	9.7	26.2	20.7
Barry	21,600	526	234	22	11	24.4	10.8	41.8	20.9
Barton	12,500	260	126	3	4	20.8	10.1	11.5	15.4
Bates	17,200	273	182	4	3	15.9	10.6	14.7	11.0
Benton	8,900	103	77	2	6	11.6	8.7	19.4	58.3
Bollinger	10,900	54	72	2	-	5.0	6.6	37.0	-
Boone	47,800	756	432	13	11	15.8	9.0	17.2	14.6
Buchanan	97,000	2,275	1,400	69	50	23.5	14.4	30.3	22.0
Butler	38,100	1,257	585	69	25	33.0	15.4	54.9	19.9
Caldwell	9,700	88	94	-	3	9.1	9.7	-	34.1
Callaway	23,400	306	444	8	3	13.1	19.0	26.1	9.8
Camden	7,700	63	57	3	-	8.2	7.4	47.6	-
Cape Girardeau	38,300	1,534	475	42	27	40.1	12.4	27.4	17.6
Carroll	15,300	270	155	5	4	17.6	10.1	18.5	14.8
Carter	4,800	73	53	5	1	15.2	11.0	68.5	13.7
Cass	19,200	273	194	10	5	14.2	10.1	36.6	18.3
Cedar	10,400	120	136	-	1	11.5	13.1	-	8.3
Chariton	14,600	55	141	6	-	3.8	9.7	109.1	-
Christian	12,300	119	105	5	3	9.7	8.5	42.0	25.2
Clark	8,800	11	71	-	-	1.3	8.1	-	-
Clay	48,000	513	422	5	3	10.7	8.8	9.7	5.8
Clinton	11,500	188	157	7	3	16.3	13.7	37.2	16.0
Cole	35,700	1,110	353	21	25	31.1	9.9	18.9	22.5
Cooper	16,400	324	185	5	6	19.8	11.3	15.4	18.5
Crawford	11,500	93	110	6	2	8.1	9.6	64.5	21.5
Dade	9,100	74	102	3	-	8.1	11.2	40.5	-
Dallas	10,300	98	71	2	1	9.5	6.9	20.4	10.2
Daviess	10,900	93	102	1	1	8.5	9.4	10.8	10.8
DeKalb	7,900	57	57	-	1	7.2	7.2	-	17.5
Dent	10,800	193	102	5	4	17.9	9.4	25.9	20.7
Douglas	12,500	126	69	3	3	10.1	5.5	23.8	23.8
Dunklin	45,500	1,033	338	52	23	22.7	7.4	50.3	22.3
Franklin	36,600	1,153	409	30	23	31.5	11.2	26.0	19.9
Gasconade	12,400	81	104	3	3	6.5	8.4	37.0	37.0
Gentry	10,700	98	101	1	5	9.2	9.4	10.2	51.0
Greene	107,500	3,162	1,370	88	48	29.4	12.7	27.8	15.2
Grundy	13,100	260	211	13	4	19.8	16.1	50.0	25.4
Harrison	13,800	260	154	7	3	18.8	11.2	26.9	11.5
Henry	19,800	486	312	12	8	24.5	15.8	24.7	16.5
Hickory	5,300	43	37	-	-	8.1	7.0	-	-



RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES  
WITH RATES - 1952 - Continued

	NUMBER				RATES*			
	Popula- tion	Live Births	Deaths	Infant Still Deaths Births	Live Births	Deaths	Infant Still Deaths Births	
Holt	9,800	44	87	1	-	4.5	8.9	22.7
Howard	11,700	136	137	6	2	11.6	11.7	44.1
Howell	22,800	619	237	15	9	27.1	10.4	24.2
Iron	9,400	387	130	8	7	41.2	13.8	20.7
Jackson	552,000	16,641	6,607	454	267	30.1	12.0	27.3
Jasper	79,200	1,951	1,038	51	34	24.6	13.1	26.1
Jefferson	39,800	221	344	6	4	5.6	8.6	27.1
Johnson	22,200	308	253	8	2	13.9	11.4	26.0
Knox	7,400	101	73	4	-	13.6	9.9	39.6
Laclede	19,100	510	199	13	8	26.7	10.4	25.5
Lafayette	25,000	567	274	12	4	22.7	11.0	21.2
Lawrence	23,300	274	282	4	2	11.8	12.1	14.6
Lewis	10,500	21	120	1	-	2.0	11.4	47.6
Lincoln	13,500	22	111	1	-	1.6	8.2	45.5
Linn	18,500	392	256	8	7	21.2	13.8	20.4
Livingston	16,400	386	195	6	4	23.5	11.9	15.5
McDonald	14,200	151	100	7	3	10.6	7.0	46.4
Macon	17,900	233	209	4	2	13.0	11.7	17.2
Madison	10,400	75	68	-	-	7.2	6.5	-
Maries	7,300	87	56	-	3	11.9	7.7	-
Marion	29,500	981	477	20	25	33.3	16.2	20.4
Mercer	7,000	140	74	5	3	20.0	10.6	35.7
Miller	13,700	281	117	4	6	20.5	8.5	14.2
Mississippi	22,600	395	163	18	6	17.5	7.2	45.6
Moniteau	10,700	181	132	5	2	16.9	12.3	27.6
Monroe	11,100	54	111	2	2	4.9	10.0	37.0
Montgomery	11,400	66	105	2	2	5.8	9.2	30.3
Morgan	10,100	117	74	2	1	11.6	7.3	17.1
New Madrid	40,200	655	220	35	7	16.3	5.5	53.4
Newton	28,400	637	264	11	9	22.4	9.3	17.3
Nodaway	23,800	564	296	13	5	23.7	12.4	23.0
Oregon	11,900	142	70	3	1	11.9	5.9	21.1
Osage	11,200	31	58	-	-	2.8	5.2	-
Ozark	8,700	85	38	1	2	9.8	4.4	11.8
Pemiscot	45,800	949	358	45	26	20.7	7.8	47.4
Perry	14,800	505	108	6	8	34.1	7.3	11.9
Pettis	32,500	740	412	13	20	22.8	12.7	17.6
Phelps	21,800	621	324	18	21	28.5	14.9	29.0
Pike	16,600	394	183	7	6	23.7	11.0	17.8
Platte	15,800	9	95	-	1	.6	6.0	-
Polk	15,900	176	147	4	1	11.1	9.2	22.7
Pulaski	10,400	962	164	23	16	92.5	15.8	23.9
Putnam	8,900	110	86	2	-	12.4	9.7	18.2
Ralls	8,500	7	42	1	-	.8	4.9	142.9
Randolph	22,600	654	385	26	8	28.9	17.0	39.8
Ray	15,700	32	126	2	-	2.0	8.0	62.5
Reynolds	6,700	89	52	5	3	13.3	7.8	56.2
Ripley	11,400	172	92	3	-	15.1	8.1	17.4
St. Charles	30,300	1,247	357	27	13	41.2	11.8	21.7
St. Clair	10,200	73	82	1	1	7.2	8.0	13.7
St. Francois	35,300	980	432	27	15	27.8	12.2	27.6



RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES  
WITH RATES - 1952 - Continued

	NUMBER					RATES*			
	Popula- tion	Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
Ste. Genevieve	11,400	62	57	1	-	5.4	5.0	16.1	-
St. Louis	430,000	4,901	3,373	151	72	11.4	7.8	30.8	14.7
Saline	26,400	424	330	17	11	16.1	12.5	40.1	25.9
Schuyler	5,600	10	43	-	1	1.8	7.7	-	100.0
Scotland	7,200	9	49	-	-	1.3	6.8	-	-
Scott	33,000	843	328	42	19	25.5	9.9	49.8	22.5
Shannon	8,200	55	70	1	2	6.7	8.5	18.2	36.4
Shelby	9,500	28	102	-	-	2.9	10.7	-	-
Stoddard	33,500	518	207	12	8	15.5	6.2	23.2	15.4
Stone	9,600	47	55	1	5	4.9	5.7	21.3	106.4
Sullivan	11,000	58	98	1	1	5.3	8.9	17.2	17.2
Taney	10,000	174	112	4	3	17.4	11.2	23.0	17.2
Texas	18,900	273	123	4	4	14.4	6.5	14.7	14.7
Vernon	22,400	358	420	6	6	16.0	18.8	16.8	16.8
Warren	7,700	128	126	2	1	16.6	16.4	15.6	7.8
Washington	14,600	207	111	13	5	14.2	7.6	62.8	24.2
Wayne	10,400	62	52	2	2	6.0	5.0	32.3	32.3
Webster	15,000	189	120	1	-	12.6	8.0	5.3	5.3
Worth	5,000	23	40	-	-	4.6	8.0	-	-
Wright	15,700	273	154	10	6	17.4	9.8	36.6	22.0
St. Louis City	860,000	29,464	12,174	837	606	34.3	14.2	28.4	20.6
Cities over 10,000									
Cape Girardeau		1,505	388	41	27				
Carthage		441	173	9	7				
Clayton		536	600	34	14				
Columbia		745	308	13	11				
Ferguston		2	75	2	-				
Fulton		280	378	7	3				
Hannibal		971	403	20	24				
Independence		1,446	356	28	20				
Jefferson City		1,103	311	21	25				
Jennings		2	61	-	-				
Joplin		1,284	571	31	23				
Kansas City		15,056	5,836	420	244				
Kirksville		865	393	21	12				
Kirkwood		9	114	1	-				
Maplewood		-	60	1	-				
Mexico		674	174	17	15				
Moberly		612	277	23	8				
Overland		6	89	-	-				
Poplar Bluff		1,084	475	60	19				
Richmond Heights		3,844	390	85	48				
St. Charles		1,239	238	25	13				
St. Joseph		2,253	1,297	68	48				
St. Louis City		29,464	12,174	837	606				
Sedalia		736	329	13	19				
Sikeston		773	212	39	19				
Springfield		3,078	1,161	83	47				
University City		-	157	1	-				
Webster Groves		1	105	-	-				

\*Rates for Live Births and Deaths are per 1,000 population.  
Rates for Infant Deaths and Stillbirths are per 1,000 Live Births.  
Rates for cities not given as population figures were not available.



TABLE D  
STILLBIRTHS - MISSOURI: 1952

Period of Gestation	Recorded			Resident		
	White	Negro	Total	White	Negro	Total
20 weeks	52	27	79	53	23	76
21 weeks	8	2	10	8	2	10
22 weeks	53	17	70	49	17	66
23 weeks	12	1	13	12	1	13
24 weeks	63	25	88	61	22	83
25 weeks	8	2	10	8	2	10
26 weeks	42	8	50	40	7	47
27 weeks	17	1	18	15	1	16
28 weeks	69	16	85	66	12	78
29 weeks	11	1	12	10	1	11
30 weeks	54	6	60	52	6	58
31 weeks	8	1	9	6	1	7
32 weeks	58	22	80	57	20	77
33 weeks	23	1	24	21	1	22
34 weeks	35	10	45	35	9	44
35 weeks	20	4	24	18	4	22
36 weeks	96	22	118	91	21	112
37 weeks	31	6	37	30	6	36
38 weeks	65	14	79	64	13	77
39 weeks	36	7	43	32	7	39
40 weeks	412	62	474	394	58	452
41 weeks	10	1	11	10	1	11
42 weeks	16	4	20	15	4	19
43 weeks	4	2	6	4	2	6
44 weeks	1		1	1		1
45 weeks	1		1	1		1
46 weeks	1		1			
Unknown	166	37	203	150	32	182
Totals	1,372	299	1,671	1,303	273	1,576

TABLE E  
RESIDENT LIVE BIRTHS, URBAN AND RURAL BY AGE OF MOTHER, SEX  
AND COLOR OF CHILD - MISSOURI: 1952

	URBAN				RURAL			
	White		Negro		White		Negro	
	Male	Female	Male	Female	Male	Female	Male	Female
All Ages	20,001	18,998	3,850	3,755	21,414	20,516	795	789
10-14	10	9	20	28	19	13	16	7
15-19	2,177	2,107	822	786	2,739	2,610	185	179
20-24	6,652	6,252	1,209	1,204	6,668	6,362	226	231
25-29	5,897	5,662	951	881	5,762	5,472	166	148
30-34	3,331	3,094	532	514	3,613	3,604	113	110
35-39	1,532	1,493	243	277	1,955	1,811	68	84
40-44	382	356	65	61	599	577	18	26
45-49	12	19	5	-	40	47	-	1
50-54	-	-	-	-	-	1	-	-
Unknown	8	6	3	4	19	19	3	3



TABLE F

SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES.  
THREE MISSOURI AREAS: 1952

LIVE BIRTHS	NUMBER			PERCENTAGES		
	State Total	Urban	Rural	State Total	Urban	Rural
SEX - COLOR						
Grand Total	90,118	46,604	43,514	100.0	100.0	100.0
Total Male	46,060	23,851	22,209	51.1	51.2	51.0
Total Female	44,058	22,753	21,305	48.9	48.8	49.0
White Total	80,929	38,999	41,930	89.8	83.7	96.4
Male	41,415	20,001	21,414	46.0	42.9	49.2
Female	39,514	18,998	20,516	43.8	40.8	47.1
Negro Total	9,189	7,605	1,584	10.2	16.3	3.6
Male	4,645	3,850	795	5.2	8.3	1.8
Female	4,544	3,755	789	5.0	8.1	1.8
ATTENDANT - COLOR						
Grand Total	90,118	46,604	43,514	100.0	100.0	100.0
M. D.	78,695	43,986	34,709	87.3	94.4	79.8
Osteopath	10,356	2,476	7,880	11.5	5.3	18.1
Midwife	859	124	735	.9	.3	1.7
Others	208	18	190	.3	.0	.4
Unknown	-	-	-	-	-	-
White Total	80,929	38,999	41,930	89.8	83.7	96.4
M. D.	70,340	36,535	33,805	78.1	78.4	77.7
Osteopath	10,094	2,407	7,687	11.2	5.2	17.7
Midwife	326	48	278	.4	.1	.6
Others	169	9	160	-	-	.4
Unknown	-	-	-	-	-	-
Negro Total	9,189	7,605	1,584	10.2	16.3	3.6
M. D.	8,355	7,451	904	9.3	16.0	2.1
Osteopath	262	69	193	.3	.1	.4
Midwife	533	76	457	.6	.2	1.1
Others	39	9	30	-	-	.1
Unknown	-	-	-	-	-	-
LEGITIMACY - COLOR						
Legitimate Total	86,972	44,369	42,603	96.5	95.2	97.9
White	79,761	38,374	41,387	88.5	82.3	95.1
Negro	7,211	5,995	1,216	8.0	12.9	2.8
Illegitimate Total	3,146	2,235	911	3.5	4.8	2.1
White	1,168	625	543	1.3	1.3	1.2
Negro	1,978	1,610	368	2.2	3.5	.8



SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES.  
THREE MISSOURI AREAS: 1952

LIVE BIRTHS	NUMBER			PERCENTAGES		
	State Total	Urban	Rural	State Total	Urban	Rural
<b>DEFORMITY - COLOR</b>						
Deformed Total	974	505	469	1.1	1.1	1.1
White	898	442	456	1.0	.9	1.1
Negro	76	63	13	.1	.2	-
Not Deformed Total	77,027	38,736	38,291	85.5	83.1	88.0
White	70,558	33,641	36,917	78.3	72.2	84.8
Negro	6,469	5,095	1,374	7.2	10.9	3.2
Not Stated or						
Unknown Total	12,117	7,363	4,754	13.4	15.8	10.9
White	9,473	4,916	4,557	10.5	10.5	10.5
Negro	2,644	2,447	197	2.9	5.3	.4
<b>PREMATURITY - ATTENDANT</b>						
Full Term Total	83,050	42,573	40,477	92.2	91.4	93.0
M. D.	72,504	40,200	32,304	80.5	86.3	74.2
Osteopath	9,618	2,244	7,374	10.7	4.8	16.9
Midwife	770	117	653	.9	.3	1.5
Others	158	12	146	.2	-	.3
Unknown	-	-	-	-	-	-
Premature Total	6,516	3,869	2,647	7.2	8.3	6.1
M. D.	5,778	3,640	2,138	6.4	7.8	4.9
Osteopath	670	219	451	.7	.5	1.0
Midwife	51	7	44	.1	-	.1
Others	17	3	14	-	-	-
Unknown	-	-	-	-	-	-
Not Stated Total	552	162	390	.6	.3	.9
M. D.	413	146	267	.5	.3	.6
Osteopath	68	13	55	.1	-	.1
Midwife	38	-	38	-	-	.1
Others	33	3	30	-	-	.1
Unknown	-	-	-	-	-	-
<b>MONTH OF OCCURRENCE</b>						
Total	90,118	46,604	43,514	100.0	100.0	100.0
January	7,391	3,807	3,584	8.2	8.2	8.2
February	7,013	3,659	3,354	7.8	7.9	7.7
March	7,393	3,768	3,625	8.2	8.1	8.3
April	6,550	3,349	3,201	7.3	7.2	7.4
May	6,364	3,358	3,006	7.1	7.2	6.9
June	7,123	3,657	3,466	7.9	7.8	8.0
July	8,215	4,157	4,058	9.1	8.9	9.3
August	8,578	4,447	4,131	9.5	9.5	9.5
September	8,381	4,282	4,099	9.3	9.2	9.4
October	7,983	4,215	3,768	8.9	9.0	8.7
November	7,369	3,886	3,483	8.2	8.3	8.0
December	7,758	4,019	3,739	8.6	8.6	8.6

Percentages are computed on the basis of total white and negro live births.  
Urban areas include cities of over 10,000 population according to 1950 Census.  
All other areas are included in "Rural".



TABLE G

RESIDENT INFANT DEATHS BY AGE, CAUSE AND COLOR, WITH RATES BY CAUSE  
AND COLOR. MISSOURI: 1952

CAUSE OF DEATH	Color	Number	Rate	Under				
				1 hour	1 day	1 week	1 month	1 year
All Causes	Total	2,554	28.3	143	744	590	289	788
	White	2,100	25.9	125	615	500	245	615
	Negro	454	49.4	18	129	90	44	173
Infectious Diseases (20-138)	Total	64	.7		2	3	9	50
	White	50	.6			2	6	42
	Negro	14	1.5		2	1	3	8
Respiratory Diseases (1-19,470-527)	Total	244	2.7			2	5	237
	White	183	2.3			2	4	177
	Negro	61	6.6				1	60
Gastro-Intestinal Diseases (543-545, 571-573)	Total	136	1.5					136
	White	95	1.2					95
	Negro	41	4.5					41
Malformations (750-759)	Total	409	4.5	28	65	83	78	155
	White	379	4.7	28	62	74	73	142
	Negro	30	3.3		3	9	5	13
Injury at Birth (760- 761)	Total	265	2.9	40	123	90	9	3
	White	245	3.0	38	114	83	8	2
	Negro	20	2.2	2	9	7	1	1
Other Diseases of Early Infancy (762-773)	Total	628	7.0	28	220	224	120	36
	White	523	6.5	17	189	190	103	24
	Negro	105	11.4	11	31	34	17	12
Premature Births (774- 776)	Total	574	6.4	45	317	164	42	6
	White	438	5.4	40	234	132	30	2
	Negro	136	14.8	5	83	32	12	4
All Other Causes	Total	234	2.6	2	17	24	26	165
	White	187	2.3	2	16	17	21	131
	Negro	47	5.1		1	7	5	34

Number following causes of death are those of the International List,  
1948 Revision.

Rates are per 1,000 Live Births.



TABLE H

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES.  
MISSOURI: 1952

CAUSE OF DEATH	Number			Rates		
	Total	White	Negro	Total	White	Negro
All Puerperal Causes (640-689)	64	49	15	.71	.60	1.6
Abortion with Infection (651)	6	6		.06	.07	-
Abortion without mention of Infection(650,652)	1	1		.01	.01	-
Puerperal Hemorrhage (643,648,670,671,672,687)	13	11	2	.14	.14	.2
Puerperal Infection (640,641,645.1,680,681)	6	6		.06	.07	-
Toxemias of Pregnancy (642,685,686)	17	11	6	.18	.14	.7
Other Accidents of Childbirth (673-678)	8	6	2	.09	.07	.2
Other Puerperal Causes	13	8	5	.14	.10	.5

Rates are per 1,000 Live Births.

Numbers in parentheses refer to code numbers in 6th Revision of  
International Statistical Classification of Causes of Death, 1948.

TABLE I

TEN LEADING CAUSES OF DEATH WITH RATES, MISSOURI: 1952  
RESIDENT

CAUSE	White	Negro	Total	Rates
1. Heart Disease (410-443)	15,287	1,345	16,632	416.5
2. Malignant Neoplasms (140-205)	6,064	492	6,556	164.2
3. Vascular Lesions (330-334)	4,948	459	5,407	135.4
4. Accidents (800-965)	2,665	307	2,972	74.4
5. Malformations and Diseases of early Infancy (750-776)	1,681	300	1,981	49.6
6. Diseases of Digestive System (530-587)	1,600	183	1,783	44.7
7. Pneumonia (490-493)	1,109	211	1,320	33.1
8. Arteriosclerosis (450)	939	86	1,025	25.7
9. Nephritis and Nephrosis (590-594)	675	123	798	20.0
10. Tuberculosis (001-019)	531	172	703	17.6

Rates are per 100,000 population.

Numbers in parentheses refer to code numbers in 6th Revision of  
International Statistical Classification of Causes of Death, 1948.



TABLE J

RECORDED ACCIDENTAL DEATHS BY TYPE AND AGE,

MISSOURI: 1952

TYPE OF ACCIDENT		All Ages (A)	0-4 (B)	5-14 (C)	15-24 (D)	25-44 (E)	45-64 (F)	65 and Over (G)	Age Unknown (H)
I. GRAND TOTAL		2917	206	154	347	547	598	1065	
OCCUPATIONAL (except public transportation)	2. OCCUPATIONAL TOTAL	150	1	8	15	55	51	20	
	3. Agriculture	70	1	8	7	17	22	15	
	4. Mining, Quarrying, Oil and Gas Wells	8				6	2		
	5. Manufacturing	16			1	8	7		
	6. Construction	13			2	4	6	1	
	7. Transportation	5				3	1	1	
	8. Public Utilities	10			2	6	2		
	9. Trade	7			1	1	3	2	
	10. Service	7			1	3	3		
	11. Other Specified Industry	13			1	6	5	1	
	12. Unspecified Industry	1				1			
HOME	13. HOME TOTAL	1177	137	45	34	87	173	701	
	14. Poisonings (gas excepted)	24	8		2	6	8		
	15. Poisonings by Gases and Vapors	23	1	3	2	7	5	5	
	16. Fire, Explosion of Combustible Material	204	37	17	11	24	42	73	
	17. Hot Substance, Corrosive Liquid, Steam	9	5			1	1	2	
	18. Mechanical Suffocation	36	34	1	1				
	19. Firearms	50	1	7	13	13	11	5	
	20. Falls on Same Level	327		1		4	27	295	
	21. Falls to Different Level or Unspecified	353	12	3	3	15	47	273	
	22. Other Specified Home Accidents	148	39	13	2	17	31	46	
	23. Unspecified Home Accidents	3					1	2	
MOTOR-VEHICLE	24. MOTOR-VEHICLE TOTAL	1079	50	52	236	314	252	175	
	25. Injury to Pedestrian	234	24	19	11	26	75	79	
	26. Collision with Other Motor Vehicle	447	14	11	107	153	106	56	
	27. Collision with Railroad Train	34	2	4	2	9	12	5	
	28. Collision with Street Car	2				1	1		
	29. Injury to Pedal Cyclist	10		7	2		1		
	30. Collision with Animal-drawn Vehicle or Animal	2				2			
	31. Collision with Fixed Object	94		3	29	39	19	4	
	32. Non-Collision	229	8	8	82	77	29	25	
	33. Other and Unspecified Accident	27	2		3	7	9	6	
PUBLIC	34. PUBLIC NONMOTOR-VEHICLE TOTAL (Priority given to items 35 to 39)	499	17	49	61	88	117	167	
	35. Railroad—Not with Motor Vehicle	35	1	2	2	6	10	14	
	36. Street Car—Not with Motor Vehicle	8	1			1	3	3	
	37. Other Vehicle—Not with Motor Vehicle								
	38. Water Transportation	22		3	6	8	3	2	
	39. Air Transportation	6			2	4			
	40. Fire, Explosion of Combustible Material	34	1	3		6	4	20	
	41. Hot Substance, Corrosive Liquid, Steam	2		2					
	42. Drowning	100	1	28	33	16	17	5	
	43. Firearms	23		4	9	4	6		
	44. Falls on Same Level	33				1	7	25	
	45. Falls to Different Level or Unspecified	59		2	2	8	7	40	
	46. Other Specified Public Accidents	160	13	5	7	29	54	52	
	47. Unspecified Public Accidents	17				5	6	6	
	48. Type of Accident Unknown	12	1		1	3	5	2	



TABLE K

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1952

	Totals	Occupational Accidents	Home - Fire, and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
State Total	2,892	152	199	674	289	235	446	388	100	92	305	12
Cities over 10,000	1,123	47	89	366	144	119	55	47	22	63	161	10
Rural	1,769	105	110	308	145	116	391	341	78	29	144	2
Counties exc. Cities over 10,000												
Adair	9	1	2	3			3					
Andrew	6			2		1		3				
Atchison	8	1		1	2		4					
Audrain	15	1	1	1	1	2	1	4	1		3	
Barry	27	1	2	2	4	3	3	9	1		2	
Barton	12		2	1		3	3	3				
Bates	14			3	1	1	5	3		1		
Benton	5		1	1							3	
Bollinger	4			1		1		1			1	
Boone	18	1		3	2	1	5	4	2			
Buchanan	18	3	1	2	1	2	6	2	1			
Butler	32	1	1	3	3	3	10	7	3		1	
Caldwell	6	3		3								
Callaway	13	1	1	1	2		4	3			1	
Camden	6			1				5				
Cape Girardeau	12		1	1	2	1	2	5				
Carroll	12		2	5	1	1			2		1	
Carter	13	2	4	1	1		2	2			1	
Cass	28	1	2	4	1	1	10	8	1			
Cedar	9	1	3	1	1	1		1	1			
Chariton	10			1	1	1	5	1			1	
Christian	9	1		3				5				
Clark	6	1		1	2			2				
Clay	36	1	2	7	1	1	12	9		1	2	
Clinton	11			4	1		2	3		1		
Cole	15			5	1	1	2	1	2		3	
Cooper	10		1	2	2			3			1	1
Crawford	17	1		1	4	1	6	4				
Dade	5		1	2			1				1	
Dallas	5	1		2			1	1				
Daviess	9		1	1			5	2				
DeKalb	4			2	1		1					
Dent	3			1	1	1						
Douglas	6			2	2		1				1	
Dunklin	21		2	2	2	3	2	6	2	1	1	
Franklin	47		2	5	4	4	12	11	3		6	



ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1952  
(Continued)

	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
Gasconade	9			2	1		1	3	2			
Gentry	3			1		1				1		
Greene	25	2		4	1		7	9	1		1	
Grundy	5	1	3	1								
Harrison	11	1		4	1			3	2			
Henry	20	3		3	3	2	4	4		1		
Hickory	1			1								
Holt	13		1	5			1	5		1		
Howard	13	1		3	2	1		3		2	1	
Howell	11	1	3	1			2	3	1			
Iron	5				2			1		1	1	
Jackson	68	5		9	1	7	21	13	2		9	1
Jasper	32	1	2	6	5		14	4				
Jefferson	64		3	4	5	6	14	7	5		20	
Johnson	22	1	3	2	1		6	5	1		3	
Knox	3	1		1			1					
Laclede	18	2	1			2	10	2			1	
Lafayette	35	2	6	4			14	7		1	1	
Lawrence	9			3	1		4	1				
Lewis	16	2	1	1	1	1	6	2			2	
Lincoln	13	2		3	1		5		2			
Linn	18			6		1	7	3			1	
Livingston	9	1	2	3			3					
McDonald	8	1	1	1	2		1	1			1	
Macon	17			10			1	5			1	
Madison	9		1	2		1	1	3	1			
Maries	8			1		1	2	1	3			
Marion	17		3	1	1	1	3	3	4		1	
Mercer	6	1	2	1	1			1				
Miller	13	4		1	2		2	2			2	
Mississippi	13	2		2	5	1	2	1				
Moniteau	8	1		1	1		2		1	1	1	
Monroe	10			3	1		2	3	1			
Montgomery	11	2	1	2		1	1	3			1	
Morgan	6			1	1			1	1		2	
New Madrid	33	2	8	1	3	4	9	4	1		1	
Newton	32	1	1	11	3	1	2	10	2		1	
Nodaway	12	1		3	1		1	2	2	2		
Oregon	5		1	1				2			1	
Osage	8		1	1	1	1	2	1	1			
Ozark	5	1		1				3				
Pemiscot	55	1	8	3	16	5	6	4	4		8	



ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1952  
(Continued)

	Type of Accident Unknown	Other Public Accidents	Public - Falls	Public - Drowning	Other Motor Vehicle Accidents	Motor Vehicle - Collis- ion with other Motor Vehicle	Motor Vehicle - Collis- ion with Pedestrian	Other Home Accidents	Home - Falls	Home - Fire and Explosion	Occupational Accidents	Total
Perry					1	8			2	2		13
Pettis		1				4	1		3		1	10
Phelps		1		1	5	3	3		7	1		22
Pike		3	1	1	3	1			3	1		16
Platte		1			3	11	2		4			22
Polk		1		1	3	2	1		1			9
Pulaski		4		2	6	3	4	1	1			21
Putnam				1	1				1		1	4
Ralls		1			1				3	1	3	9
Randolph		1	1	1	3	2	2		1		3	14
Ray			1		1	4	1		8	1	2	18
Reynolds				1	2				3	3		9
Ripley					1			3	1			5
St. Charles		1		2	4	8	2		2	1	1	21
St. Clair		2			1	3		2	1	1	1	11
St. Francois		7	2		5	5	1	4	4	1	3	32
Ste. Genevieve		1			2	3			1		2	9
St. Louis	14		1	3	25	31	17	6	25	7	4	133
Saline			3	2	2	3	2	4	8	1	2	27
Schuyler						4			1		1	6
Scotland					1	1					2	4
Scott		2		2	5	8	1		1	2		21
Shannon		2		1	2	1			2		1	9
Shelby		2			3	3		1	2			9
Stoddard		3		1	2	8		2	6	2	2	26
Stone					1	1	1		2		1	6
Sullivan					2				1		1	4
Taney		1		3	3		1				1	10
Texas		1			5	1	2	1	1		3	14
Vernon		3			1	4		2	6		4	23
Warren		1					1		3			7
Washington		1					1	3	3			16
Wayne					2	1			2	1		6
Webster		2			5	3	3		3		1	17
Worth		1								1		1
Wright								3	1	1		5
Cities of 10,000 or more population												
Cape Girardeau		2			1			3				6
Carthage			1		2							3
Clayton							1	1				2
Columbia		2	1		2	1	1	4		2	1	14



ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1952  
(Continued)

	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
Ferguson	3			2							1	
Fulton	22			16						2	4	
Hannibal	11		1	4		2		2			2	
Independence	14	1		7		1	3	1			1	
Jefferson City	7	1		4			1		1			
Jennings	5			2	2	1						
Joplin	11		2	5	3						1	
Kansas City	213	17	28	64	32	16	6	11	4	14	16	5
Kirksville	7		2	3							2	
Kirkwood	10			6		1			1		2	
Maplewood	3		1	1	1							1
Mexico	7	2		2	1						1	
Moberly	11	1	2	3	1	2	1				1	
Overland	5			1	2						2	
Poplar Bluff	10		2	4	1	1		1	1			
Richmond Heights	-											
St. Charles	8	1		4	2					1		
St. Joseph	51	2	6	18	9	4	2	4	1		5	
St. Louis City	626	20	36	187	81	85	33	11	13	43	113	4
Sedalia	20		2	10	2	1	1	2			2	
Sikeston	13		3	2	2	1	1	2			2	
Springfield	25	1	2	8	3	2	6	2			1	
University City	8			1	2			3	1	1		
Webster Groves	8			4				3			1	



TABLE L  
RESIDENT DEATHS BY AGE GROUPS, BY SEX, COLOR AND IMPORTANT CAUSES FOR THE STATE: 1952

	All Ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 and over	Un- known
TOTAL DEATHS	45,051	2,554	471	220	186	346	347	447	520	1,837	4,102	7,187	10,803	11,303	4,698	30
Total Male	25,479	1,469	260	135	121	237	224	293	308	1,110	2,563	4,570	6,254	5,832	2,084	19
Total Female	19,572	1,085	211	85	65	109	123	154	212	727	1,539	2,617	4,549	5,471	2,614	11
TOTAL WHITE	40,569	2,100	399	193	169	297	294	356	402	1,450	3,349	6,251	9,968	10,807	4,514	20
Male	23,002	1,205	225	117	114	205	190	233	240	912	2,163	4,036	5,788	5,571	1,992	11
Female	17,567	895	174	76	55	92	104	123	162	538	1,186	2,215	4,180	5,236	2,522	9
TOTAL NEGRO	4,482	454	72	27	17	49	53	91	118	387	753	936	835	496	184	10
Male	2,477	264	35	18	7	32	34	60	68	198	400	534	466	261	92	8
Female	2,005	190	37	9	10	17	19	31	50	189	353	402	369	235	92	2

CAUSES OF DEATH

Tuberculosis of respiratory system (001-008)	660	1	3	1		6	12	14	27	85	145	149	130	74	13	
Tuberculosis, other forms (010-019)	43	1	5	1	1	1	5	5	1	5	6	6	3	3		
Syphilis, under 1 year (020-029)	3	3														
Syphilis, age 1 year and over (020-029)	179					2	3	1	3	9	39	57	48	15	2	
Typhoid fever (040)	1												1			
Paratyphoid fever (041)	-															
Undulant fever (044)	2										1			1		
Bacillary dysentery (045)	20	11	2		1	1						1	2	1	1	
Amebic dysentery (046)	7	1						1			1	2	1		1	
Other and unspecified dysentery (047-048)	4	1	1											2		
Scarlet fever and streptococcal sore throat (050-051)	26		3		4	2	2			1	3	5	4	1	1	
Diphtheria (055)	5		3	2												
Whooping Cough (056)	17	12	5													
Meningococcal infections (057)	31	9	12	1		2				1	2	2	2			
Tularemia (059)	-															
Tetanus (061)	12	2	1	1	1	1				1	1		1	3		
Acute poliomyelitis (080)	77	2	10	16	8	12	12	11	3	2	1					
Acute infectious encephalitis (082)	15	3	3	1	2		1					1	1	2	1	
Measles (085)	6	2	2	2												
Rabies (094)	1			1												
Rocky mountain spotted fever (104)	2		1							1						
Typhus and other rickettsial diseases (100-103; 105-108)	-															
Malaria (110-117)	1		1													
Other infectious and parasitic diseases (030-138, exc. above)	108	18	7	2	5	2	4	3	2	11	16	12	11	10	5	
Malignant neoplasms (140-205)	6,556	10	41	33	10	24	23	44	75	322	937	1,447	1,880	1,378	330	2
Benign and unspecified neoplasms (210-239)	120	2		3	4	2	3	2	3	24	26	22	15	10	4	
Diabetes mellitus (260)	693		3	1	2	1	3	7	10	30	47	136	250	172	29	2
Anemias (290-293)	112	1	5	3	3	1	1	1	1	2	7	10	32	38	7	
Vascular lesions affecting central nervous system (330-334)	5,407	3	3	3	1	1	3	6	19	81	334	698	1,622	1,885	744	4
Nonmeningococcal meningitis (340)	66	15	6	5	4			1	2	8	7	10	5	2	1	
Rheumatic fever (400-402)	62		1	10	9	6	3	7	2	9	6	5	4			
Chronic rheumatic heart disease (410-416)	608				3	6	6	14	14	62	108	134	114	108	39	
Arteriosclerotic and degenerative heart disease (420-422)	12,604	3	1	1	4	1	5	11	23	249	886	2,194	3,622	3,903	1,695	6
Other diseases of heart (430-434)	751	2		3	1	5	3	8	5	30	90	147	187	192	78	
Hypertension with heart disease (440-443)	2,669					1	1	2	8	55	228	474	709	861	330	
Hypertension w/o mention of heart (444-447)	458							2	4	26	49	48	83	153	92	1
Other diseases of circulatory system (450-468)	1,328		1	1		2	3	5	4	24	58	130	244	485	370	1
Influenza (480-483)	233	17	8	1	2	1		1	4	6	7	16	35	76	56	3
Lobar pneumonia 4 weeks (490)	511	38	20	3	2	3	3	4	4	33	38	68	102	137	55	1
Bronchopneumonia 4 weeks (491)	503	89	36	5	2	3		1	1	9	28	44	89	125	71	
Pneumonia, other forms 4 weeks (492-493)	306	66	25	3	1	3	1	3	5	7	11	33	45	71	32	
Bronchitis (500-502)	74	7	9	2	1					1	1	13	16	15	9	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	144	135	9													
Gastro Enteritis and colitis, 2 years (571.1)	50		3	1	1		1	2		4	5	2	10	11	10	
Cirrhosis of liver (581)	487	1				1	4	2	10	51	111	124	101	62	20	
Other diseases of digestive system (530-587 excl. above)	1,102	34	17	7	3	5	8	2	13	59	153	230	265	234	71	1
Nephritis and nephrosis (590-594)	798		4	4	7	11	5	12	20	38	89	123	184	210	91	
Complications of pregnancy and puerperium (640-652; 670-689)	64					5	13	17	13	15	1					
Congenital malformations (750-759)	511	409	45	9	5	3	6	7	3	7	7	7	2		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	589	588	1													
Pneumonia of newborn (under 4 weeks) (763)	83	83														
Diarrhea of newborn (under 4 weeks) (764)	28	28														
Other infections of newborn (under 4 weeks) (765-769)	27	27														
Other diseases of early infancy (under 4 weeks) (770-776)	743	741	2													
Senility, ill defined and unknown causes (780-795)	629	34	8			1	2	4	9	28	60	97	132	123	130	1
All other diseases (residual)	1,857	67	49	19	15	25	18	28	36	110	187	299	427	425	151	1
Motor vehicle accidents (810-835)	1,116	8	40	29	28	117	123	107	84	156	121	126	101	69	5	2
All other accidents (800-802; 840-965)	1,856	76	75	46	53	70	46	56	46	146	163	188	234	404	248	5
Suicide and self-inflicted injury (970-979)	440					7	6	22	27	62	88	102	80	40	6	
Homicide (980-985)	246	4			3	12	18	34	39	67	33	25	8	3		



# DIVISION OF HEALTH OF MISSOURI

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1952

	Totals	Tuberculosis of Respiratory System (001-008)	Tuberculosis, other forms (010-019)	Syphilis, age 1 year and over (020-029)	Typhoid Fever (040)	Undulant Fever (044)	Bacillary Dysentary (045)	Other and Unspecified Dysentery (047-048)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Diphtheria (055)	Whooping Cough (056)	Meningococcal Infections (057)	Tularaemia (059)	Tetanus (061)	Acute Infectious Encephalitis (082)	Acute Poliomyelitis (080)	Measles (085)	Infectious Hepatitis (092)	Rocky Mountain Spotted Fever (104)	Other Infectious and Parasitic Diseases (030-138) exc. above
State Total	1,252	677	42	184	1	2	20	10	28	5	18	34	-	14	16	79	6	27	2	87
Cities over 10,000	718	322	31	140	1	1	6	5	11	5	8	25	-	11	13	73	4	18	1	43
Rural	534	355	11	44	-	1	14	5	17	-	10	9	-	3	3	6	2	9	1	44
Counties exc. Cities over 10,000:																				
Adair	1										1									
Andrew	-																			
Atchison	1			1																
Audrain	1																			1
Barry	6	3									1									2
Barton	1	1																		
Bates	6			1				1	3											1
Benton	2	1																		1
Bollinger	1											1								
Boone	5	4		1																
Buchanan	-																			
Butler	5	4					1													
Caldwell	-																			
Callaway	3	2																		
Camden	-																	1		
Cape Girardeau	4	2		1																1
Carroll	1																	1		
Carter	2	2																		
Cass	4	3							1											
Cedar	2			1					1											
Chariton	3																			3
Christian	3		1	1																1
Clark	-																			
Clay	17	16									1									
Clinton	2	1																		1
Cole	1																	1		
Cooper	2	1																1		
Crawford	1	1																		
Dade	-																			
Dallas	2	1		1																
Daviess	-																			
DeKalb	-																			
Dent	4	2		2																
Douglas	7	3	2								1			1						
Dunklin	16	8		2			2	1	1		1									1
Franklin	5	2																1		2
Gasconade	3	2																1		
Gentry	1		1																	
Greene	7	4		1					2											
Grundy	1								1											
Harrison	3	3																		
Henry	1			1																
Hickory	2	1		1																
Holt	-																			
Howard	2	1																1		
Howell	6						2		1			1						1		1
Iron	2						1	1												
Jackson	4	2		1																1
Jasper	44	37		2		1			1											3
Jefferson	4	1		2																1
Johnson	2																			2
Knox	-																			
Laclede	5	2					1								1					1
Lafayette	4	4																		



# DIVISION OF HEALTH OF MISSOURI

[illegible]



RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1952

[illegible]



County figures excluded  
those for cities of  
25,000 or more  
population listed  
separately

TABLE N  
REPORTED CASES OF 34 DISEASES\* BY COUNTY AND CITIES OF 25,000 AND OVER  
MISSOURI - 1952

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	GONORRHEA	INFECTIOUS HEPATITIS	INFLUENZA	MEASLES	MENINGOCOCCAL-MENINGITIS	MUMPS	MALARIA	POLIOMYELITIS			RABIES IN ANIMALS	STREPTOCOCCAL INFECTION (RESPIRATORY)	SYPHILIS		TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH	
											TOTAL **	PARALYTIC	NON-PARALYTIC			TOTAL	PRIMARY AND SECONDARY					
TOTAL CASES	45	2,455	51	4,367	481	1,202	2,435	100	2,787	45	1,193	284	50	287	792	4,541	212	2,448	2,302	23	49	357
Adair	-	10	-	-	1	-	13	-	1	-	10	1	1	3	-	9	-	-	2	-	-	-
Andrew	-	-	1	-	-	-	1	-	-	-	1	-	-	-	6	2	-	-	3	-	-	-
Atchison	-	3	-	-	107	-	-	-	-	-	15	2	-	-	-	-	-	-	4	-	-	-
Audrain	-	-	-	30	3	-	1	-	2	-	8	8	-	-	1	27	3	-	16	-	-	-
Barry	-	-	-	6	-	-	-	1	-	-	1	-	-	2	-	5	2	1	11	-	-	-
Barton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	2	-	-	-
Bates	-	-	1	-	-	-	-	-	-	-	4	-	-	-	-	8	-	-	7	1	-	-
Benton	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-	-	4	-	-	-
Bollinger	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	2	-	2	2	-	-	-
Boone	1	28	-	4	-	-	4	-	10	-	3	2	-	3	-	15	-	-	11	-	-	10
Columbia	1	8	-	20	2	-	8	1	23	-	12	2	1	5	2	76	3	-	11	-	-	1
Buchanan	-	8	-	-	6	-	21	-	18	-	8	4	1	3	1	1	-	-	11	-	-	6
St. Joseph	-	9	1	36	23	-	36	1	2	-	25	1	1	-	14	40	2	-	18	2	1	1
Butler	1	-	-	13	-	-	-	-	9	-	6	1	1	2	-	9	-	336	25	1	-	5
Caldwell	-	1	-	-	-	-	-	-	1	-	3	1	-	-	-	3	-	-	2	-	-	-
Callaway	-	12	-	8	9	-	1	2	5	-	-	-	-	-	1	28	-	20	2	-	-	-
Camden	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	4	-	3	9	-	-	-
Cape Girardeau	1	-	-	3	-	-	-	-	1	-	-	-	-	47	1	41	3	3	7	-	-	-
Carroll	3	-	-	1	-	-	23	-	-	-	-	-	-	2	-	8	-	30	4	-	-	-
Carter	-	-	-	1	-	-	1	-	-	-	11	1	2	-	-	7	1	-	1	-	-	-
Cass	1	4	1	2	-	-	1	-	3	-	-	-	-	-	2	2	-	-	8	-	-	-
Cedar	-	4	-	-	-	-	20	-	-	-	12	2	-	-	3	9	1	-	2	-	-	-
Chariton	1	2	-	1	-	-	8	-	-	-	-	-	1	17	-	8	-	-	4	-	-	-
Christian	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	6	-	-	6	-	-	-



TABLE N - Continued

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	GONORRHEA	INFECTIOUS HEPATITIS	INFLUENZA	MEASLES	MENINGOCOCCAL-MENINGITIS	MUMPS	MALARIA	POLIOMYELITIS			RABIES IN ANIMALS	STREPTOCOCCAL INFECTION (RESPIRATORY)	SYPHILIS		TRACHOMA	TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH
											TOTAL **	PARALYTIC	NON-PARALYTIC			TOTAL	PRIMARY AND SECONDARY					
Clark	-	-	-	-	-	-	-	1	-	-	3	9	5	-	-	-	6	-	-	1	-	-
Clay	-	4	-	-	6	-	-	1	-	-	22	10	2	-	-	-	28	1	12	-	-	-
Kansas City Part	-	-	-	-	-	-	-	1	-	-	23	2	-	-	-	-	-	-	4	-	-	-
Clinton	-	2	-	-	17	-	-	1	-	-	8	4	-	-	-	-	10	-	26	1	2	-
Cole	-	4	-	-	19	-	-	2	-	-	8	4	-	-	-	-	38	-	-	-	-	-
Cooper	1	-	-	-	7	-	-	-	-	1	18	5	-	-	2	-	22	82	18	-	-	-
Crawford	-	1	-	-	1	-	-	-	-	-	2	1	-	-	-	-	2	20	8	-	-	-
Dade	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-	-	-
Dallas	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	6	4	10	-	-	-
Daviess	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	3	-	-	-	-	-
DeKalb	-	-	-	-	11	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	-
Dent	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	7	42	6	6	-	-
Douglas	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	2	6	-	-	-	-
Dunklin	1	-	-	1	15	-	-	3	-	1	4	5	-	-	2	-	21	8	37	-	-	-
Franklin	-	2	-	-	1	-	-	-	-	7	5	-	-	-	1	-	16	13	12	-	-	-
Gasconade	-	3	-	-	4	1	-	-	-	14	-	-	-	-	3	-	4	2	2	4	-	-
Gentry	-	-	-	-	1	-	-	1	-	-	4	-	-	-	-	-	4	-	9	-	-	-
Greene	-	2	-	-	9	-	-	-	-	6	2	8	-	-	5	-	22	10	54	2	-	-
Springfield	-	49	-	-	41	-	-	-	-	94	8	9	-	-	3	-	103	5	2	1	-	-
Grundy	-	-	-	-	1	-	-	1	-	-	10	4	-	-	-	-	9	2	2	9	-	-
Harrison	-	-	-	-	-	-	-	-	-	-	8	2	-	-	-	-	6	-	1	-	-	-
Henry	1	-	-	-	1	-	-	-	-	-	10	3	-	-	-	-	18	-	6	2	-	-
Hickory	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	2	6	20	-	-
Holt	-	-	-	-	2	-	-	-	-	-	1	8	-	-	-	-	4	-	2	12	-	-
Howard	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	22	-	20	-	-	-
Howell	1	-	-	-	16	-	-	1	-	2	2	8	-	-	1	-	10	184	12	-	-	-



TABLE N - Continued

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	GONORRHEA	INFECTIOUS HEPATITIS	INFLUENZA	MEASLES	MENINGOCOCCAL-MENINGITIS	MUMPS	MALARIA	POLIOMYELITIS			RABIES IN ANIMALS	STREPTOCOCCAL INFECTION (RESPIRATORY)	SYPHILIS		TRACHOMA	TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH
											TOTAL **	PARALYTIC	NON-PARALYTIC			TOTAL	PRIMARY AND SECONDARY					
Iron	-	1	1	4	6	-	-	-	-	-	-	1	33	8	-	21	2	5	9	-	-	-
Jackson	-	9	2	5	6	-	-	1	2	3	-	8	8	-	-	13	4	-	16	-	-	-
Independence	-	-	-	2	6	-	-	2	3	-	-	1	1	-	-	185	11	-	19	-	-	-
Kansas City Part	-	1,195	17	655	967	-	-	11	1,125	1	3	91	16	-	-	189	54	-	319	-	-	-
Kansas City Total	-	1,195	17	655	967	-	-	12	1,125	3	3	101	18	-	-	189	54	-	319	-	-	-
Jasper	-	47	-	16	90	-	-	1	85	1	1	1	1	4	5	2	49	1	64	5	87	
Joplin	-	13	-	28	-	-	-	-	1	1	5	2	2	1	4	11	110	1	56	1	4	
Jefferson	-	163	-	4	284	962	-	-	65	1	-	2	-	9	56	1	6	9	-	-	-	
Johnson	-	5	-	2	21	-	-	-	1	-	-	22	4	-	25	1	14	3	1	-	-	
Knox	1	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Laclede	-	5	-	14	12	-	-	-	8	-	-	1	3	-	-	1	11	44	11	-	1	
Lafayette	-	8	-	6	14	-	-	-	3	-	-	6	-	-	1	18	1	-	16	-	-	
Lawrence	-	5	-	4	1	-	-	-	3	-	-	2	-	-	2	15	-	4	22	-	-	
Lewis	-	-	-	-	-	-	-	-	-	-	-	5	1	-	1	1	-	-	8	-	-	
Lincoln	-	-	-	7	-	-	-	-	4	-	-	2	2	1	-	8	-	-	2	-	-	
Linn	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	11	-	-	10	-	-	
Livingston	-	2	-	2	1	30	-	-	-	-	-	17	2	-	-	13	-	-	5	-	-	
McDonald	1	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	19	-	-	
Macon	-	7	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	6	-	-	
Madison	-	5	-	-	2	-	-	-	13	-	-	-	-	-	-	-	-	2	10	-	-	
Maries	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	3	-	-	
Marion	-	1	-	17	-	-	-	1	4	-	-	1	-	-	10	-	-	-	6	-	-	
Mercer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Miller	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	3	-	-	
Mississippi	-	10	-	64	1	-	-	-	17	-	-	5	3	-	1	1	5	13	14	-	-	
Moniteau	2	-	-	1	15	-	-	-	-	-	-	8	1	-	2	2	6	81	7	-	-	



TABLE N - Continued

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	GONORRHEA	INFECTIOUS HEPATITIS	INFLUENZA	MEASLES	MENINGOCOCCAL-MENINGITIS	MUMPS	MALARIA	POLIOMYELITIS			RABIES IN ANIMALS	STREPTOCOCCAL INFECTION (RESPIRATORY)	SYPHILIS		TRACHOMA	TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH	
											TOTAL **	PARALYTIC	NON-PARALYTIC			PRIMARY AND SECONDARY	TOTAL						
Monroe	-	-	-	1	-	1	-	-	21	-	3	8	7	-	-	1	2	1	-	5	-	1	-
Montgomery	-	5	-	-	4	1	9	2	-	-	1	1	1	-	-	-	11	-	4	4	1	-	
Morgan	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	7	-	6	1	1	-	
New Madrid	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	7	70	-	16	-	1	-	
Newton	1	8	-	-	6	-	-	-	7	-	5	13	-	2	4	22	2	2	39	1	1	-	
Nodaway	1	-	-	-	20	-	-	-	-	-	-	-	-	-	-	7	-	-	6	3	-	-	
Oregon	3	-	-	-	1	-	-	-	-	-	1	-	-	5	-	8	-	4	5	4	-	1	
Osage	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	266	4	-	-	-	
Ozark	-	-	2	-	-	2	-	2	-	1	-	-	-	1	-	1	1	12	2	2	1	2	
Pemiscot	-	1	-	-	5	-	-	1	-	1	-	-	-	6	-	39	-	-	30	-	-	-	
Perry	3	4	-	-	-	-	-	1	1	1	-	3	1	1	-	4	-	-	3	-	-	-	
Pettis	-	-	-	-	7	-	-	4	1	17	-	17	1	1	1	56	-	-	9	-	-	-	
Phelps	-	17	1	-	1	-	-	10	2	2	-	2	-	10	-	9	-	99	15	-	-	4	
Pike	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	12	-	-	10	-	-	-	
Platte	-	1	-	-	1	-	-	1	-	-	4	1	-	-	-	6	-	-	4	6	-	-	
Polk	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	8	-	-	6	-	-	-	
Pulaski	-	10	-	-	14	-	-	19	146	-	-	7	-	1	2	11	-	378	5	-	-	-	
Putnam	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	1	-	3	-	2	-	
Ralls	-	4	-	-	-	-	-	-	29	-	-	4	3	1	-	-	1	-	3	-	1	-	
Randolph	-	-	-	-	11	-	-	2	-	-	6	9	2	1	2	33	-	-	5	6	-	-	
Ray	-	-	-	-	-	-	-	8	1	-	-	-	-	-	2	11	-	-	6	7	-	-	
Reynolds	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
Ripley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
St. Charles	-	-	-	-	6	-	-	-	-	-	7	-	-	1	1	20	-	-	-	2	-	-	



TABLE N - Continued

	BRUCELLOSIS	CHICKENPOX	DIPHTHERIA	GONORRHEA	INFECTIOUS HEPATITIS	INFLUENZA	MEASLES	MENINGOCOCCAL-MENINGITIS	MUMPS	MALARIA	POLIOMYELITIS			RABIES IN ANIMALS	STREPTOCOCCAL INFECTION (RESPIRATORY)	SYPHILIS		TRACHOMA	TUBERCULOSIS	TULAREMIA	TYPHOID FEVER	WHOOPING COUGH
											TOTAL**	PARALYTIC	NON-PARALYTIC			TOTAL	PRIMARY AND SECONDARY					
St. Clair	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	5	-	3	7	1	-	-
St. Francois	-	-	-	-	-	-	-	-	-	-	2	1	1	4	6	38	-	-	11	-	-	-
Ste Genevieve	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	9	-	-	6	-	-	-
St. Louis County	-	103	-	-	350	-	103	-	201	-	115	-	-	27	114	179	-	-	127	1	-	16
University City	-	76	-	-	8	-	17	-	54	-	10	-	-	1	13	5	-	-	8	-	-	-
Saline	2	9	-	-	1	-	27	-	-	-	8	4	6	1	3	45	1	1	17	1	-	1
Schuyler	-	-	-	-	-	-	50	-	2	-	8	6	-	-	-	-	-	-	-	-	-	-
Scotland	-	-	-	-	-	-	6	-	-	-	12	-	-	12	-	1	-	41	12	-	-	2
Scott	-	14	-	1	61	4	-	-	10	-	4	-	-	-	1	30	-	-	-	-	-	-
Shannon	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	51	3	-	-	-
Shelby	-	-	-	-	-	-	5	-	1	-	1	-	-	-	-	2	-	-	2	1	-	-
Stoddard	1	-	-	-	18	-	-	1	-	-	3	-	-	6	-	17	-	19	10	-	-	-
Stone	-	-	-	-	2	-	-	1	-	-	1	-	-	3	-	5	-	-	3	-	-	-
Sullivan	-	8	-	-	-	-	3	-	-	-	3	-	-	-	-	1	-	-	6	-	-	-
Taney	-	2	-	-	2	1	1	-	1	-	-	-	-	11	-	6	-	1	6	-	-	-
Texas	-	-	-	-	5	-	-	-	-	-	1	-	-	4	-	21	-	180	14	-	-	-
Vernon	-	1	-	-	3	-	3	2	-	-	6	-	-	-	1	8	-	-	2	-	-	-
Warren	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	-	3	-	-	-
Washington	-	-	-	-	2	-	-	-	-	-	2	-	-	1	-	6	-	12	12	-	-	-
Wayne	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	2	-	356	5	9	1	-
Webster	-	-	-	-	4	-	-	-	-	-	-	-	-	1	-	22	-	-	-	-	-	-
Worth	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Wright	-	6	-	1	3	5	6	-	20	-	1	1	-	1	5	-	-	36	6	1	-	5
St. Louis City	11	551	13	2,722	43	45	470	51	734	14	133	-	-	29	202	1,704	-	11	768	10	10	74



TABLE N - Continued

\* In order to save space the following diseases are summarized below.

\*\* Includes unspecified

<u>RHEUMATIC FEVER</u>		<u>PNEUMONIA, Primary Atypical</u>		<u>SALMONELLOSIS, except Typhoid</u>		<u>ENCEPHALITIS</u>	<u>CHANCROID</u>
Clay County	1	Cole County	1	Dunklin County	1	Carroll County	1
Jackson County	1	Howard County	9	Franklin County	1	Jackson County	2
Jefferson County	1	Monroe County	2	Jackson County	1	Jefferson County	4
Lafayette County	1	Montgomery County	26	Osage County	1	Macon County	1
Linn County	1	Phelps County	1	St. Louis County	2	Kansas City	1
Moniteau County	1	St. Louis County	1	Kansas City	1	St. Louis City	1
New Madrid County	1	Wright County	2	St. Louis City	136	Total	10
Pettis County	1	Kansas City	1	Total	143		
Kansas City	6	St. Louis City	6				
St. Louis City	2	Total	49				
Total	16						50
<u>GRANULOMA INGUINALE</u>		<u>RINGWORM OF SCALP</u>		<u>STAPHYLOCOCCAL FOOD POISONING</u>		<u>LYMPHOPATHIA VENEREUM</u>	<u>TETANUS</u>
New Madrid County	1	Jefferson County	1	Newton County	100	St. Louis County	1
St. Louis County	1	St. Louis County	3	Ray County	2	Kansas City	1
Kansas City	1	Kansas City	9	Texas County	19	St. Louis City	1
St. Louis City	2	St. Louis City	149	St. Louis City	52		
<u>DYSENTERY, Bacillary</u>		<u>DYSENTERY, Amebic</u>		<u>DYSENTERY, Unspecified</u>			
Johnson County	1	St. Louis County	2	Macon County	2		
Perry County	2	Kansas City	1	St. Louis City	10		
St. Louis County	5						
Kansas City	2						
St. Louis City	201						
Total	211						
<u>RABIES IN MAN</u>		<u>HISTOPLASMOSIS</u>					
St. Louis County		Cape Girardeau County					
1		1					
		Kansas City (Clay County)					
		1					



TABLE 0

REPORTED CASES OF 21 SELECTED DISEASES FOR THE STATE OF MISSOURI  
BY MONTH OF RECEIPT OF REPORT - 1952

Missouri Estimated Population July 1, 1952 - 3,993,700 Rates are per 100,000 population

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	Rates 1952	Rates 1951
Brucellosis	2	5	3	1	5	11	9	1	4	1	1	2	45	1.13	1.65
Chickenpox	353	461	457	361	252	118	28	8	12	31	98	276	2455	61.47	75.58
Diphtheria	5	9	10	1	4	-	-	2	4	5	5	6	51	1.28	2.27
Dysentery, all forms*	2	1	2	1	4	-	2	5	183	6	6	14	226	5.66	1.01
Amebic	-	-	-	-	-	-	-	-	-	2	-	1	3	0.08	0.09
Bacillary	-	-	-	-	1	-	1	5	183	4	6	11	211	5.28	0.24
Encephalitis, Infectious	1	1	-	1	2	-	1	1	2	-	1	-	10	0.25	0.27
Hepatitis, Infectious	33	64	94	41	28	42	22	44	17	9	28	59	481	12.04	24.43
Influenza	9	77	921	179	5	6	-	-	-	2	1	2	1202	30.10	3.01
Malaria	-	-	-	-	1	5	7	2	16	4	5	3	43	1.08	0.12
Measles	99	90	452	460	394	248	125	21	12	47	99	388	2435	60.97	189.16
Meningitis, Meningococcal	12	10	14	19	9	8	6	1	3	2	5	11	100	2.50	2.34
Mumps	258	653	563	479	356	165	105	19	16	22	65	86	2787	69.78	61.18
Polioomyelitis, all forms	10	3	4	5	5	13	61	172	495	260	115	50	1193	29.87	17.73
Rabies, Animal	14	24	35	40	48	19	10	14	23	15	23	22	287	7.19	12.29
Rabies, Human	-	-	1	-	-	-	-	-	-	-	-	-	1	0.03	0.02
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04
Scarlet Fever and Streptococcal Sore Throat	74	134	192	92	71	33	24	5	12	22	37	96	792	19.83	24.28
Tetanus	-	2	-	1	-	-	-	-	-	2	1	1	7	0.18	0.14
Tularemia	2	3	1	1	6	2	2	2	2	-	-	2	23	0.58	0.84
Typhoid Fever	3	1	1	2	6	6	4	6	5	8	4	3	49	1.23	1.70
Whooping Cough	43	39	30	27	36	17	22	30	42	17	39	15	357	8.94	16.12

\*Including Unspecified.



TABLE I

Groom's Birth Year



TABLE BB

## MARRIAGES BY MARITAL STATUS. MISSOURI: 1952

	Bride				Total
	<u>Single</u>	<u>Widowed</u>	<u>Divorced</u>	<u>Not Stated or Unknown</u>	
Groom Single	17,838	420	1,867	25	20,150
Widowed	366	907	586	-	1,859
Divorced	1,824	623	3,225	5	5,677
Not Stated or Unknown	11	4	2	670	687
Total	20,039	1,954	5,680	700	28,373

TABLE CC

MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS  
GROOMS AND BRIDES: 1952

	Grooms					Brides				
	<u>All</u>	<u>Single</u>	<u>Widowed</u>	<u>Divorced</u>	<u>Not</u> <u>Stated</u>	<u>All</u>	<u>Single</u>	<u>Widowed</u>	<u>Divorced</u>	<u>Not</u> <u>Stated</u>
Total	28,373	20,150	1,859	5,677	687	28,373	20,039	1,954	5,680	700
Under 15	5	4		1		21	21			
15 years	3	3				206	205			1
16 years	34	34				742	731		9	2
17 years	239	239				1,281	1,270		7	4
18 years	803	794	1	5	3	2,717	2,644	2	63	8
19 years	1,461	1,452		7	2	3,041	2,932	4	97	8
20 years	1,917	1,892		24	1	2,681	2,544	8	126	3
21 years	2,273	2,228	1	43	1	2,279	2,086	9	183	1
22 years	2,527	2,428	1	94	4	1,973	1,749	8	212	4
23 years	1,942	1,804	4	133	1	1,475	1,235	9	230	1
24 years	1,782	1,617	8	155	2	1,070	841	13	215	1
25 years	1,636	1,421	9	205	1	960	690	25	244	1
26 years	1,347	1,109	15	222	1	716	468	20	228	
27 years	1,157	887	10	260		694	398	31	264	1
28 years	927	692	12	222	1	614	320	31	263	
29 years	790	544	10	235	1	497	260	21	215	1
30 years	688	439	13	235	1	472	227	24	220	1
31 years	625	399	17	209		427	174	39	212	2
32 years	536	300	15	221		366	135	28	202	1
33 years	440	241	19	179	1	304	117	27	159	1
34 years	391	204	13	173	1	324	118	33	173	
35 years	346	145	20	181		276	92	40	144	
36 years	311	112	19	180		253	71	30	152	
37 years	320	126	16	177	1	268	78	29	160	1
38 years	298	119	20	158	1	273	48	47	178	
39 years	245	81	19	145		257	53	36	168	
40 years	291	93	27	171		270	70	44	156	
41 years	285	85	27	173		210	45	45	120	
42 years	233	69	40	124		240	56	49	134	1
43 years	236	67	33	136		223	37	49	136	1
44 years	222	53	32	137		186	33	45	108	
45-49 years	912	190	155	566	1	835	121	269	444	1
50-54 years	713	114	211	386	2	555	64	262	229	
55-59 years	569	53	280	234	2	356	29	225	101	1



MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS  
GROOMS AND BRIDES: 1952 (Continued)

	Grooms					Brides				
	All Classes	Single	Widowed	Divorced	Not Stated	All Classes	Single	Widowed	Divorced	Not Stated
60-64 years	445	35	271	139		256	11	183	62	
65-69 years	322	24	219	79		169	13	126	30	
70-74 years	206	5	165	36		88	4	76	8	
75 and over	156	4	132	17	3	38	-	34	3	1
Not Stated	740	44	25	15	656	760	49	33	25	653

TABLE DD

MARRIAGES: COLOR OF GROOM  
MISSOURI: 1952

White	24,113
Negro	3,541
Other*	25
Not Stated	694
Total	28,373

\*Includes Indians, Mexicans,  
Japanese and Chinese

TABLE EE

DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED.  
MISSOURI: 1952

Children Reported	Total	Number	
		Divorces	Annulments
Total	12,943	12,855	88
No Children	7,682	7,603	79
One Child	2,631	2,629	2
Two Children	1,498	1,498	
Three Children	554	553	1
Four Children	209	209	
Five or More Children	157	157	
Not Stated	212	206	6



TABLE FF

## COMPLAINANT vs TO WHOM DECREE GRANTED. DIVORCES - MISSOURI: 1952

Complainant	Decree to Whom Granted					Total
	Husband	Wife	Separate Maintenance		Not Stated or Unknown	
			Husband	Wife		
Husband	3,185	353				3,538
Wife	98	9,183		1	2	9,284
Others						-
Unknown	9	12			12	33
Total	3,292	9,548		1	14	12,855

## COMPLAINANT vs TO WHOM DECREE GRANTED. ANNULMENTS - MISSOURI: 1952

Complainant	Decree to Whom Granted					Total
	Husband	Wife	Separate Maintenance		or Unknown	
			Husband	Wife		
Husband	17	3				20
Wife		67				67
Other						-
Unknown					1	1
Total	17	70			1	88

TABLE GG

## COMPLAINANT vs DISPOSITION OF CHILDREN. DIVORCES - MISSOURI: 1952

Complainant	Disposition of Children							Total
	Husband	Wife	Guardian	Joint	Custody	Not Stated	No	
					to Others	or Unknown	Children	
Husband	358	580	1	46	20	48	2,485	3,538
Wife	111	3,712		66	37	48	5,310	9,284
Others								-
Unknown	1	4			1	2	25	33
Total	470	4,296	1	112	58	98	7,820	12,855

## COMPLAINANT vs DISPOSITION OF CHILDREN. ANNULMENTS - MISSOURI: 1952

Complainant	Disposition of Children						Total
	Husband	Wife	Guardian	Joint	Custody to Others	Not Stated or Unknown	
Husband						20	20
Wife	2	3				62	67
Others							-
Unknown						1	1
Total	2	3				83	88



TABLE HH

DIVORCES AND ANNULMENTS  
NUMBER OF CASES CONTESTED. MISSOURI: 1952

<u>Contestant</u>	<u>Number</u>		
	<u>Total</u>	<u>Divorces</u>	<u>Annulments</u>
Husband	426	424	2
Wife	326	324	2
No Contest	12,039	11,956	83
Unknown	152	151	1
Total	12,943	12,855	88

TABLE JJ

DIVORCES AND ANNULMENTS  
ALIMONY AND SETTLEMENTS. MISSOURI: 1952

	<u>Number</u>		
	<u>Total</u>	<u>Divorces</u>	<u>Annulments</u>
Alimony to Wife	3,292	3,292	-
Alimony to Husband	2	2	-
Property Settlement	51	51	-
Support to Children	364	364	-
Both Alimony and Child Support	336	336	-
No alimony or settlement	8,640	8,558	82
Not Stated	258	252	6
Total	12,943	12,855	88

TABLE KK

DIVORCES AND ANNULMENTS  
CAUSE OR GROUNDS ALLEGED. MISSOURI: 1952

<u>Cause</u>	<u>Number</u>
Adultery	115
Bigamy	16
Conviction of crime	68
Cruelty	199
Desertion	1,878
Drunkenness	165
Insanity	4
Nonsupport	193
Annulments	88
Indignities	10,072
Not Stated or Unknown	145
Total	12,943



TABLE LL

## SEX AND COLOR - HUSBAND vs WIFE - DIVORCES - MISSOURI: 1952

		Wife			
		White	Colored	Other	Unknown
Husband	White	10,984	9	3	2
	Colored	8	1,587		
	Other	3	1	1	
	Unknown	2			255
	Total	10,997	1,597	4	257
					Totals
					10,998
					1,595
					5
					257
					12,855

## SEX AND COLOR - HUSBAND vs WIFE - ANNULMENTS - MISSOURI: 1952

		Wife			
		White	Colored	Other	Unknown
Husband	White	79			
	Colored		3		
	Other				
	Unknown	1			5
	Total	80	3	-	5
					Totals
					79
					3
					-
					6
					88

TABLE MM

DIVORCE AND ANNULMENT  
STATE OF MARRIAGE - MISSOURI: 1952

1. Alabama	32		31. New York	44	
2. Arizona	70	1	32. North Carolina	20	
3. Arkansas	2,238	45	33. North Dakota	2	
4. California	156		34. Ohio	50	
5. Colorado	42		35. Oklahoma	114	1
6. Connecticut	5		36. Oregon	9	
7. Delaware	3		37. Pennsylvania	31	
8. District of Columbia	16		38. Rhode Island	1	
9. Florida	26		39. South Carolina	26	
10. Georgia	46		40. South Dakota	11	
11. Idaho	5		41. Tennessee	43	
12. Illinois	451	5	42. Texas	133	1
13. Indiana	60		43. Utah	7	
14. Iowa	88	1	44. Vermont	-	
15. Kansas	1,139	3	45. Virginia	24	
16. Kentucky	60	1	46. Washington	38	
17. Louisiana	40		47. West Virginia	11	
18. Maine	6		48. Wisconsin	14	
19. Maryland	38		49. Wyoming	10	1
20. Massachusetts	9		50. Alaska	2	
21. Michigan	33		51. Hawaii	4	
22. Minnesota	30		52. Puerto Rico	-	
23. Mississippi	202	3	53. Virgin Islands	-	
24. Missouri	6,972	20	60. Canada	10	
25. Montana	2		61. Mexico	13	1
26. Nebraska	61	2	62. England	13	
27. Nevada	69	1	63. France	2	1
28. New Hampshire	5		64. Germany	16	
29. New Jersey	14		65. Austria	3	
30. New Mexico	39		99. Other Foreign	30	
			00. Unknown	217	1
			Total	12,855	88



TABLE NN

## NUMBER OF PREVIOUS MARRIAGES- HUSBAND vs WIFE - DIVORCES - MISSOURI: 1952

<u>Husband</u>	<u>Wife</u>						<u>Not Stated or Unknown</u>	<u>Totals</u>
	<u>None</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5 or More</u>		
None	6,035	1,223	194	45	15	8	57	7,577
1	1,167	1,654	410	85	27	11	35	3,389
2	220	434	241	49	17	9	7	977
3	41	108	68	27	7	5	2	258
4	8	40	17	6	5			76
5 or more	7	19	13	8	1	2		50
Unknown or Not Stated	58	52	19	3	1	1	394	528
Totals	7,536	3,530	962	223	73	36	495	12,855

## NUMBER OF PREVIOUS MARRIAGES - HUSBAND vs WIFE - ANNULMENTS - MISSOURI: 1952

<u>Husband</u>	<u>Wife</u>						<u>Not Stated or Unknown</u>	<u>Totals</u>
	<u>None</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5 or More</u>		
None	28	8			1		3	40
1	8	9	4	2				23
2	2	1	4					7
3		3						3
4		1						1
5 or more		1					1	2
Unknown or Not Stated		3	1	2			6	12
Totals	38	26	9	4	1	-	10	88



TABLE PP

DIVORCES BY AGE OF HUSBAND AND OF WIFE, AND BY NUMBER OF TIMES MARRIED -  
MISSOURI: 1952

Age	Husband				Wife			
	Tot Total	Married Once	Married More Than Once	Not Stated	Total	Married Once	Married More Than Once	Not Stated
Under 15 years	5	5			6	4	2	
15 years	4	4			9	9		
16 years	3	2		1	47	47		
17 years	10	10			116	109	7	
18 years	43	40	2	1	252	234	12	6
19 years	77	72	2	3	337	310	22	5
20 years	141	130	8	3	390	347	38	5
21 years	224	212	10	2	439	373	58	8
22 years	351	314	36	1	617	508	104	5
23 years	391	343	44	4	479	374	103	2
24 years	428	372	52	4	434	326	102	6
25 years	466	391	72	3	540	378	156	6
26 years	477	380	92	5	481	318	155	8
27 years	498	274	116	8	484	313	167	4
28 years	500	371	122	7	469	301	162	6
29 years	422	316	102	4	430	254	173	3
30 years	465	325	136	4	431	260	164	7
31 years	420	282	136	2	401	229	169	3
32 years	391	255	130	6	374	205	164	5
33 years	334	190	137	7	320	191	123	6
34 years	344	191	147	6	325	171	151	3
35 years	360	203	154	3	306	158	145	3
36 years	327	189	131	7	306	154	150	2
37 years	314	175	137	2	319	145	170	4
38 years	329	169	158	2	317	169	144	4
39 years	298	150	142	6	277	131	141	5
40 years	306	168	134	4	319	152	164	3
41 years	277	138	133	6	246	124	119	3
42 years	307	154	150	3	242	101	140	1
43 years	247	123	119	5	211	92	118	1
44 years	271	124	143	4	194	93	97	4
45-49 years	1,082	503	568	11	812	351	454	7
50-54 years	766	314	448	4	538	197	338	3
55-59 years	459	192	262	5	281	95	184	2
60-64 years	302	88	210	4	162	54	107	1
65-69 years	185	48	137		94	16	78	
70-74 years	94	12	81	1	30	5	25	
75 years & over	78	7	69	2	18	1	15	2
Not Stated	859	241	230	388	802	237	202	363
Total	12,855	7,577	4,750	528	12,855	7,536	4,823	496



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	State Total				Urban Total		Rural Total	
	Total	Rate	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	3,993,700							
LIVE BIRTHS	90,118	22.6	80,929	9,189	38,999	7,605	41,930	1,584
Attended by M. D.	78,695		70,340	8,355	36,535	7,451	33,805	904
Attended by D. O.	10,356		10,094	262	2,407	69	7,687	193
Attended by midwives	859		326	533	48	76	278	457
Others or unspecified	208		169	39	9	9	160	30
STILLBIRTHS	1,576	17.5	1,303	273	634	231	669	42
Attended by M. D.	1,343		1,111	232	595	204	516	28
Attended by D. O.	184		174	10	33	3	141	7
Attended by midwives	11		4	7	3	4	4	4
Others or unspecified	38		14	24	6	21	8	3
TOTAL DEATHS	45,051	11.3	40,570	4,481	19,709	3,574	20,861	907
Under one year of age	2,554	28.3	2,100	454	981	342	1,119	112
Neonatal deaths	1,766	19.6	1,485	281	713	215	772	66
Maternal deaths	64	.7	49	15	15	11	34	4
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	660	16.5	502	158	246	143	256	15
Tuberculosis, other forms (010-019)	43	1.1	29	14	14	12	15	2
Syphilis, under 1 year (020-029)	3	.1	1	2	1	1		
Syphilis, age 1 year and over (020-029)	179	4.5	137	42	88	35	49	7
Typhoid fever (040)	1		1				1	
Paratyphoid fever (041)								
Undulant fever (044)	2	.1	2		1		1	
Bacillary dysentery (045)	20	.5	17	3	2	1	15	2
Amebic dysentery (046)	7	.2	7		3		4	
Other and unspecified dysentery (047-048)	4	.1	4				4	
Scarlet fever and streptococcal sore throat (050-051)	26	.7	23	3	3	1	20	2
Diphtheria (055)	5	.1	5		4		1	
Whooping cough (056)	17	.4	13	4	2		11	4
Meningococcal infections (057)	31	.8	25	6	10	5	15	1
Tularemia (059)								
Tetanus (061)	12	.3	9	3	3	2	6	1
Acute poliomyelitis (080)	77	1.9	71	6	33	3	38	3
Acute infectious encephalitis (082)	15	.4	15		6		9	
Measles (085)	6	.2	6		2		4	
Rabies (094)	1		1		1			
Rocky mountain spotted fever (104)	2	.1	2				2	
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)	1		1				1	
Other infectious and parasitic diseases (030-138, exc. above)	108	2.7	95	13	28	10	67	3
Malignant neoplasms (140-205)	6,556	164.2	6,064	492	3,115	403	2,949	89
Benign and unspecified neoplasms (210-239)	120	3.0	97	23	56	18	41	5
Diabetes mellitus (260)	693	17.4	650	43	338	35	312	8
Anemias (290-293)	112	2.8	102	10	52	8	50	2
Vascular lesions affecting central nervous system (330-334)	5,407	135.4	4,948	459	2,165	341	2,783	118
Nonmeningococcal meningitis (340)	66	1.7	49	17	31	15	18	2
Rheumatic fever (400-402)	62	1.6	50	12	24	10	26	2
Chronic rheumatic heart disease (410-416)	608	15.2	536	72	264	58	272	14
Arteriosclerotic and degenerative heart disease (420-422)	12,604	315.7	11,977	627	6,031	472	5,946	155
Other diseases of heart (430-434)	751	18.8	623	128	269	108	354	20
Hypertension with heart disease (440-443)	2,669	66.8	2,151	518	1,086	446	1,065	72
Hypertension w/o mention of heart (444-447)	458	11.5	381	77	168	63	213	14
Other diseases of circulatory system (450-468)	1,328	33.3	1,198	130	584	112	614	18
Influenza (480-483)	233	5.8	211	22	41	13	170	9
Lobar pneumonia 4 weeks (490)	511	12.8	417	94	180	82	237	12
Bronchopneumonia 4 weeks (491)	503	12.6	437	66	221	51	216	15
Pneumonia, other forms 4 weeks (492-493)	306	7.7	255	51	110	39	145	12
Bronchitis (500-502)	74	1.9	70	4	30	4	40	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	144	3.6	103	41	46	29	57	12
Gastro Enteritis and colitis, 2 years (571.1)	50	1.3	37	13	12	12	25	1
Cirrhosis of liver (581)	487	12.2	450	37	304	35	146	2
Other diseases of digestive system (530-587 excl. above)	1,102	27.6	1,010	92	494	80	516	12
Nephritis and nephrosis (590-594)	798	20.0	675	123	278	93	397	30
Complications of pregnancy and puerperium (640-652; 670-689)	64	1.6	49	15	15	11	34	4
Congenital malformations (750-759)	511	12.8	472	39	238	30	234	9
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	589	14.8	511	78	263	63	248	15
Pneumonia of newborn (under 4 weeks) (763)	83	2.1	68	15	33	9	45	6
Diarrhea of newborn (under 4 weeks) (764)	28	.7	25	3	13	1	12	2
Other infections of newborn (under 4 weeks) (765-769)	27	.7	22	5	10	4	12	1
Other diseases of early infancy (under 4 weeks) (770-776)	743	18.6	583	160	278	133	305	27
Senility, ill defined and unknown causes (780-795)	629	15.8	548	81	278	40	270	41
All other diseases (residual)	1,857	46.5	1,637	220	763	190	874	30
Motor vehicle accidents (810-835)	1,116	27.9	1,023	93	419	69	604	24
All other accidents (800-802; 840-965)	1,856	46.5	1,642	214	806	156	836	58
Suicide and self-inflicted injury (970-979)	440	11.0	434	6	200	4	234	2
Homicide (980-985)	246	6.2	99	147	57	124	42	23



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Adair inc. Kirksville		Andrew		Atchison		Audrain inc. Mexico	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	19,800		11,500		10,900		24,700	
LIVE BIRTHS	374	3	177	0	200	0	584	32
Attended by M.D.	151		131		192		380	25
Attended by D.O.	222	3	46		8		201	7
Attended by midwives								
Others or unspecified	1						3	
STILLBIRTHS	5	0	4	0	2	0	9	2
Attended by M.D.	1		3		2		6	1
Attended by D.O.	3		1				3	1
Attended by midwives								
Others or unspecified	1							
TOTAL DEATHS	248	2	157	0	122	0	228	22
Under one year of age	9	2	3		5		15	3
Neonatal deaths	6	1	3		5		10	2
Maternal deaths			1					
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		3		1		2	1
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	1							1
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)	1							
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)	1							
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)	1							
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	1
Malignant neoplasms (140-205)	34		27		18		41	2
Benign and unspecified neoplasms (210-239)			1		1		1	
Diabetes mellitus (260)	6		4		2		8	
Anemias (290-293)	1							
Vascular lesions affecting central nervous system (330-334)	35		33		23		24	3
Nonmeningococcal meningitis (340)							1	
Rheumatic fever (400-402)							1	
Chronic rheumatic heart disease (410-416)	3		5				1	
Arteriosclerotic and degenerative heart disease (420-422)	57		47		30		46	3
Other diseases of heart (430-434)	5		1		2		5	1
Hypertension with heart disease (440-443)	12		4		13		16	4
Hypertension w/o mention of heart (444-447)	5		2		1		1	
Other diseases of circulatory system (450-468)	7		3		3		2	
Influenza (480-483)	8						1	
Lobar pneumonia 4 weeks (490)	1		3				3	
Bronchopneumonia 4 weeks (491)	5	1					3	
Pneumonia, other forms 4 weeks (492-493)	2				1			1
Bronchitis (500-502)	1						1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	4				3		2	1
Other diseases of digestive system (530-587 excl. above)	6		6		3		6	
Nephritis and nephrosis (590-594)	11		3		1		11	2
Complications of pregnancy and puerperium (640-652; 670-689)			1					
Congenital malformations (750-759)	1		1				2	1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	4		1				4	
Pneumonia of newborn (under 4 weeks) (763)					1			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)		1						
Other diseases of early infancy (under 4 weeks) (770-776)			1		2		5	1
Senility, ill defined and unknown causes (780-795)			2		1		2	
All other diseases (residual)	9		4		7		13	
Motor vehicle accidents (810-835)	9		2		3		5	
All other accidents (800-802; 840-965)	12		3		3		14	
Suicide and self-inflicted injury (970-979)	4				3		5	
Homicide (980-985)	1							



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Barry		Barton		Bates		Benton	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	21,600		12,500		17,200		8,900	
LIVE BIRTHS	370	0	255	0	262	3	143	1
Attended by M. D.	284		243		223	3	48	
Attended by D. O.	84		12		39		95	1
Attended by midwives								
Others or unspecified	2							
STILLBIRTHS	8	0	3	0	5	0	5	0
Attended by M. D.	2		2		5			
Attended by D. O.	5		1				5	
Attended by midwives	1							
Others or unspecified								
TOTAL DEATHS	248	0	143	0	202	2	110	1
Under one year of age	18		4		5		2	
Neonatal deaths	13		3		3		1	
Maternal deaths					1			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	5		2		2		1	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			1		1			
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)					1			
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					2			
Diphtheria (055)								
Whooping cough (056)	1							
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	2						1	
Malignant neoplasms (140-205)	20		16		36		22	
Benign and unspecified neoplasms (210-239)	1		1					
Diabetes mellitus (260)	3		4		3	1	2	
Anemias (290-293)	1				1			
Vascular lesions affecting central nervous system (330-334)	37		16		24		18	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	2		1		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	81		58		54		20	1
Other diseases of heart (430-434)	4		3		5		2	
Hypertension with heart disease (440-443)	9		7		8		7	
Hypertension w/o mention of heart (444-447)	1				3	1		
Other diseases of circulatory system (450-468)	4		4		7		3	
Influenza (480-483)	3		1		3			
Lobar pneumonia 4 weeks (490)			2					
Bronchopneumonia 4 weeks (491)	4				1			
Pneumonia, other forms 4 weeks (492-493)	1				1		2	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)					1		1	
Cirrhosis of liver (581)					1		1	
Other diseases of digestive system (530-587 excl. above)	6		1		6		7	
Nephritis and nephrosis (590-594)	8		2		7		5	
Complications of pregnancy and puerperium (640-652; 670-689)					1			
Congenital malformations (750-759)	6		3		2		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	8							
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)	1							
Other diseases of early infancy (under 4 weeks) (770-776)	2		1		3			
Senility, ill defined and unknown causes (780-795)	1		5		3		1	
All other diseases (residual)	8		3		7		10	
Motor vehicle accidents (810-835)	13		4		8		1	
All other accidents (800-802; 840-965)	13		3		6		4	
Suicide and self-inflicted injury (970-979)	3		5		3			
Homicide (980-985)								



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Bollinger		Boone inc. Columbia		Buchanan inc. St. Joseph		Butler inc. Poplar Bluff	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	10,900		47,800		97,000		38,100	
LIVE BIRTHS	173	0	802	55	1725	59	742	66
Attended by M.D.	99		753	53	1516	58	633	29
Attended by D.O.	72		49	1	207	1	73	25
Attended by midwives	2				2		24	9
Others or unspecified				1			12	3
STILLBIRTHS	2	0	8	2	36	2	11	3
Attended by M.D.			8	2	30	2	7	2
Attended by D.O.	1				5		4	1
Attended by midwives								
Others or unspecified	1				1			
TOTAL DEATHS	104	0	360	51	1109	52	355	50
Under one year of age	6		12	1	53	5	42	6
Neonatal deaths	3		11		41	3	24	5
Maternal deaths					2		3	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)			3	3	15	2	8	2
Tuberculosis, other forms (010-019)			1					
Syphilis, under 1 year (020-029)							1	
Syphilis, age 1 year and over (020-029)			3		12		1	1
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)					1			
Bacillary dysentery (045)							2	1
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)			1					
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)	1							
Tularemia (059)								
Tetanus (061)				1	1			
Acute poliomyelitis (080)			1		1		1	
Acute infectious encephalitis (082)								
Measles (085)					1			
Rabies (094)								
Rocky mountain spotted fever (104)	1							
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	
Malignant neoplasms (140-205)	14		39	5	180	3	47	2
Benign and unspecified neoplasms (210-239)				1	6		1	
Diabetes mellitus (260)	1		8		20		3	
Anemias (290-293)			1		4		2	
Vascular lesions affecting central nervous system (330-334)	9		59	12	149	11	32	7
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)					2			
Chronic rheumatic heart disease (410-416)	1		4		31	3	3	1
Arteriosclerotic and degenerative heart disease (420-422)	27		115	12	346	14	87	7
Other diseases of heart (430-434)	1		2	1	7	1	2	1
Hypertension with heart disease (440-443)	18		21	3	32	2	38	7
Hypertension w/o mention of heart (444-447)	1		12		9	1		
Other diseases of circulatory system (450-468)	3		14	2	42	5	9	
Influenza (480-483)			2		6		1	
Lobar pneumonia 4 weeks (490)	1		2	1	10		5	3
Bronchopneumonia 4 weeks (491)	1		3	1	9	2	11	1
Pneumonia, other forms 4 weeks (492-493)	1				3		4	1
Bronchitis (500-502)					2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							3	
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	2		4		8		3	
Other diseases of digestive system (530-587 excl. above)	2		7	1	18		10	1
Nephritis and nephrosis (590-594)	2		7	1	11		2	2
Complications of pregnancy and puerperium (640-652; 670-689)					2		3	1
Congenital malformations (750-759)	3		1		8		8	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		8		20	3	3	3
Pneumonia of newborn (under 4 weeks) (763)					2		5	1
Diarrhea of newborn (under 4 weeks) (764)					1			
Other infections of newborn (under 4 weeks) (765-769)					1		2	
Other diseases of early infancy (under 4 weeks) (770-776)	2		1		10		9	1
Senility, ill defined and unknown causes (780-795)	2				4		2	
All other diseases (residual)	2		8	1	49	2	11	2
Motor vehicle accidents (810-835)	4		9	4	29		16	
All other accidents (800-802; 840-965)	3		20	2	43	3	14	3
Suicide and self-inflicted injury (970-979)	1		3		14		2	1
Homicide (980-985)			1				3	1



## County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Caldwell		Calloway inc. Fulton		Camden		Cape Girardeau inc. C. Girardeau City	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	9,700		23,400		7,700		38,300	
LIVE BIRTHS								
Attended by M.D.	155	1	350	43	161	0	866	32
Attended by D.O.	135	1	314	37	104		820	23
Attended by midwives	20		36	6	56		45	3
Others or unspecified								6
STILLBIRTHS								
Attended by M.D.	4	0	3	0	1	0	1	0
Attended by D.O.	1		3		0		9	
Attended by midwives	3						1	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	139	1	206	20	87	0	327	12
Neonatal deaths	4		10	1	6		15	1
Maternal deaths	3		8	1	4		13	1
							2	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)			3		2		2	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)							2	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					1			
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)					1			
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1				1	
Malignant neoplasms (140-205)	23		33		11		46	1
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	2		2		3		5	
Anemias (290-293)			1					
Vascular lesions affecting central nervous system (330-334)	24		23	5	8		48	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)			1		1			
Chronic rheumatic heart disease (410-416)		1	1		7		6	1
Arteriosclerotic and degenerative heart disease (420-422)	33		57	4	24		76	1
Other diseases of heart (430-434)	3		2	1			20	1
Hypertension with heart disease (440-443)	7		13	4	2		16	3
Hypertension w/o mention of heart (444-447)	3		3				3	
Other diseases of circulatory system (450-468)	6		9		2		13	
Influenza (480-483)			4	1	1		2	
Lobar pneumonia 4 weeks (490)	2		2				2	
Bronchopneumonia 4 weeks (491)	1		2				2	1
Pneumonia, other forms 4 weeks (492-493)	1						2	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1				1	1
Gastro Enteritis and colitis, 2 years (571.1)			2				1	
Cirrhosis of liver (581)	1		2		1		2	
Other diseases of digestive system (530-587 excl. above)	3		5		4		10	1
Nephritis and nephrosis (590-594)	1		3		2		6	1
Complications of pregnancy and puerperium (640-652; 670-689)							2	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		1		2		6	
Pneumonia of newborn (under 4 weeks) (763)			1				1	
Diarrhea of newborn (under 4 weeks) (764)							1	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	3		5	1	2		6	1
Senility, ill defined and unknown causes (780-795)	2				1		7	
All other diseases (residual)	13		13	1	7		16	
Motor vehicle accidents (810-835)	1		4		2		11	
All other accidents (800-802; 840-965)	7		5	2	1		7	
Suicide and self-inflicted injury (970-979)	2		7		1		3	
Homicide (980-985)				1	1		2	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Carroll		Carter		Cass		Cedar	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	15,300		4,800		19,200		10,400	
LIVE BIRTHS	284	10	95	0	376	2	184	0
Attended by M.D.	219	7	46		296	1	131	
Attended by D.O.	65	3	43		80	1	53	
Attended by midwives			6					
Others or unspecified								
STILLBIRTHS	2	0	1	0	6	0	2	0
Attended by M.D.	2				5			
Attended by D.O.			1		1		2	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	190	5	69	0	233	2	162	0
Under one year of age	7		4		10		3	
Neonatal deaths	5		4		9		3	
Maternal deaths					1			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		3		4		2	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	1						1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					1		1	
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)					1			
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	2						1	
Malignant neoplasms (140-205)	29		13		40		20	
Benign and unspecified neoplasms (210-239)					1	1		
Diabetes mellitus (260)	4				3		2	
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	32	1	5		35		25	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)	1							
Chronic rheumatic heart disease (410-416)	2		1		5		3	
Arteriosclerotic and degenerative heart disease (420-422)	39	3	11		59		48	
Other diseases of heart (430-434)	13		1		7	1	7	
Hypertension with heart disease (440-443)	5	1	11		10		8	
Hypertension w/o mention of heart (444-447)			1		4		1	
Other diseases of circulatory system (450-468)	3		2		6		2	
Influenza (480-483)	1				3		2	
Lobar pneumonia 4 weeks (490)	1				1		4	
Bronchopneumonia 4 weeks (491)	2						1	
Pneumonia, other forms 4 weeks (492-493)	2		1		1			
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1			
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)							2	
Other diseases of digestive system (530-587 excl. above)	4		1		7		1	
Nephritis and nephrosis (590-594)	3		1		2		6	
Complications of pregnancy and puerperium (640-652; 670-689)					1			
Congenital malformations (750-759)	2		1		2		3	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		2		2			
Pneumonia of newborn (under 4 weeks) (763)							1	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	1		1		3			
Senility, ill defined and unknown causes (780-795)	13		1		1		1	
All other diseases (residual)	8		3		11		8	
Motor vehicle accidents (810-835)	5		1		8		4	
All other accidents (800-802; 840-965)	11		8		8		6	
Suicide and self-inflicted injury (970-979)	3				4		2	
Homicide (980-985)			1		2			



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Chariton		Christian		Clark		Clay inc. Kansas City (part)	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	14,600		12,300		8,800		48,000	
LIVE BIRTHS	247	18	239	0	186	1	1366	13
Attended by M.D.	158	13	156		166	1	1265	13
Attended by D.O.	89	4	79		20		101	
Attended by midwives		1	2					
Others or unspecified								
STILLBIRTHS	3	0	8	0	3	0	15	0
Attended by M.D.	3		4		2		14	
Attended by D.O.			4		1		1	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	177	21	141	0	129	0	404	8
Under one year of age	9	2	8		7		22	
Neonatal deaths	5	2	7		2		14	
Maternal deaths			1					
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2							
Tuberculosis, other forms (010-019)			1					
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			1					
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)					1			
Other and unspecified dysentery (047-048)					1			
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)							2	
Whooping cough (056)								
Meningococcal infections (057)					1			
Tularemia (059)								
Tetanus (061)							4	
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	3		2				1	
Malignant neoplasms (140-205)	24		20		19		55	1
Benign and unspecified neoplasms (210-239)	1							1
Diabetes mellitus (260)	2	1	2		1		6	
Anemias (290-293)	1		1				2	
Vascular lesions affecting central nervous system (330-334)	32	7	18		26		74	1
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	2	1			2		8	
Arteriosclerotic and degenerative heart disease (420-422)	53	5	43		31		110	1
Other diseases of heart (430-434)	2		3		2		7	1
Hypertension with heart disease (440-443)	2		7		4		15	
Hypertension w/o mention of heart (444-447)	4		4					1
Other diseases of circulatory system (450-468)	3		5		3		27	1
Influenza (480-483)			2		1			
Lobar pneumonia 4 weeks (490)					3		1	
Bronchopneumonia 4 weeks (491)	1				1		2	
Pneumonia, other forms 4 weeks (492-493)	5		5		4			
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					2		1	
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	2		2		1		3	
Other diseases of digestive system (530-587 excl. above)	6				5		14	
Nephritis and nephrosis (590-594)	2	2	1		4		1	
Complications of pregnancy and puerperium (640-652; 670-689)			1					
Congenital malformations (750-759)	3	1	2		1		4	1
Birth injuries, asphxia, (under 4 weeks.) (760-762)	2		2				5	
Pneumonia of newborn (under 4 weeks) (763)		1	1				2	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)			1					
Other diseases of early infancy (under 4 weeks) (770-776)	2		2		2		6	
Senility, ill defined and unknown causes (780-795)	1				2		2	
All other diseases (residual)	12	2	6		3		19	
Motor vehicle accidents (810-835)	1	1	4		4		10	
All other accidents (800-802; 840-965)	4		3		4		13	
Suicide and self-inflicted injury (970-979)	5		2		1		8	
Homicide (980-985)							2	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Clinton		Cole inc. Jefferson City		Cooper		Crawford	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	11,500		35,700		16,400		11,500	
LIVE BIRTHS	187	7	728	19	241	22	239	0
Attended by M.D.	150	7	637	16	219	22	164	
Attended by D.O.	36		91	3	22		72	
Attended by midwives							2	
Others or unspecified	1						1	
STILLBIRTHS	0	1	14	0	5	2	4	0
Attended by M.D.			11		4	1	2	
Attended by D.O.		1	2		1	1	2	
Attended by midwives								
Others or unspecified			1					
TOTAL DEATHS	165	9	276	14	157	24	151	0
Under one year of age	7		9	2	4	3	9	
Neonatal deaths	7		6	1	3	2	4	
Maternal deaths							1	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1	1	5		2		2	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)				1	1			
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	1		2					
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1		2		1			
Malignant neoplasms (140-205)	23	1	44	2	20	1	19	
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	2		2		2		4	
Anemias (290-293)			1					
Vascular lesions affecting central nervous system (330-334)	30		36	6	24	4	18	
Nonmeningococcal meningitis (340)					1			
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	3	1	3		3		2	
Arteriosclerotic and degenerative heart disease (420-422)	53	4	82	2	60	10	46	
Other diseases of heart (430-434)	1		1	1	3		1	
Hypertension with heart disease (440-443)	2		23		6	1	2	
Hypertension w/o mention of heart (444-447)	1		2				1	
Other diseases of circulatory system (450-468)	7		10		6		6	
Influenza (480-483)	2							
Lobar pneumonia 4 weeks (490)			6		1	2	2	
Bronchopneumonia 4 weeks (491)	3		2		1		3	
Pneumonia, other forms 4 weeks (492-493)			2	1	2		2	
Bronchitis (500-502)			1		1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							2	
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1		1		2		1	
Other diseases of digestive system (530-587 excl. above)	6	1	5		4		3	
Nephritis and nephrosis (590-594)	1		2		2	1	3	
Complications of pregnancy and puerperium (640-652; 670-689)							1	
Congenital malformations (750-759)	3		4				2	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			3		2			
Pneumonia of newborn (under 4 weeks) (763)							1	
Diarrhea of newborn (under 4 weeks) (764)			1					
Other infections of newborn (under 4 weeks) (765-769)	1							
Other diseases of early infancy (under 4 weeks) (770-776)	3		1	1	1	1	3	
Senility, ill defined and unknown causes (780-795)	1	1					1	2
All other diseases (residual)	8		15		2	1	5	
Motor vehicle accidents (810-835)	2		3		3		11	
All other accidents (800-802; 840-965)	7		16		6	2	6	
Suicide and self-inflicted injury (970-979)	1		1		1		2	
Homicide (980-985)	1							



## County Summary

9

## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Dade		Dallas		Davies		DeKalb	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	9,100		10,300		10,900		7,900	
LIVE BIRTHS	147	2	153	0	170	0	130	0
Attended by M.D.	140	2	118		92		71	
Attended by D.O.	7		35		78		59	
Attended by midwives								
Others or unspecified								
STILLBIRTHS	0	0	2	0	5	0	2	0
Attended by M.D.			1		3		1	
Attended by D.O.			1		2		1	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	122	2	96	0	125	2	83	0
Under one year of age	3	1	4		3		1	
Neonatal deaths	3	1	4		1			
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		2					
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			2					
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)					1			
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	
Malignant neoplasms (140-205)	17		14		27		17	
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	2		1					
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	16	1	12		25	1	19	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1		1		3		1	
Arteriosclerotic and degenerative heart disease (420-422)	37		31		32		25	
Other diseases of heart (430-434)	5				3		1	
Hypertension with heart disease (440-443)	4		6		8		4	
Hypertension w/o mention of heart (444-447)	1		2		1			
Other diseases of circulatory system (450-468)	9		2		6		4	
Influenza (480-483)	2		1		4	1	1	
Lobar pneumonia 4 weeks (490)			1					
Bronchopneumonia 4 weeks (491)	3		2					
Pneumonia, other forms 4 weeks (492-493)	1				2			
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1						2	
Other diseases of digestive system (530-587 excl. above)			1		2		2	
Nephritis and nephrosis (590-594)	2		1					
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)					1			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2	1			1			
Pneumonia of newborn (under 4 weeks) (763)			1					
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	1		3					
Senility, ill defined and unknown causes (780-795)	1		2					
All other diseases (residual)	7		3		2		3	
Motor vehicle accidents (810-835)	2		4		1			
All other accidents (800-802; 840-965)	5		3		2		3	
Suicide and self-inflicted injury (970-979)	2		1		3			
Homicide (980-985)								



## County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Dent		Douglas		Dunklin		Franklin	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	10,800		12,500		45,500		36,600	
LIVE BIRTHS								
Attended by M.D.	204	0	238	0	1032	41	863	12
Attended by D.O.	123		131		834	19	828	10
Attended by midwives	47		98		188	10	33	1
Others or unspecified	32		4		3	12		
STILLBIRTHS								
Attended by M.D.	7	0	4	0	20	2	15	0
Attended by D.O.	5		1		15	2	15	
Attended by midwives	1		3		5			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	128	0	96	0	366	12	402	5
Neonatal deaths	7		5		43	4	26	1
Maternal deaths	4		2		23	2	16	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	4		3		9		5	
Syphilis, under 1 year (020-029)			2					
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	2				2			
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)					2			
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					1			
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)			1		1			
Tularemia (059)					1			
Tetanus (061)								
Acute poliomyelitis (080)	2		1					
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1		3	
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	18		17		35		60	
Diabetes mellitus (260)								
Anemias (290-293)	4		1		5		7	
Vascular lesions affecting central nervous system (330-334)								
Nonmeningococcal meningitis (340)	17		9		36	2	45	1
Rheumatic fever (400-402)					1			
Chronic rheumatic heart disease (410-416)					2			
Arteriosclerotic and degenerative heart disease (420-422)	3		3		1		4	
Other diseases of heart (430-434)	28		20		99	1	138	
Hypertension with heart disease (440-443)	1		2		10		8	
Hypertension w/o mention of heart (444-447)	13		3		24		12	
Other diseases of circulatory system (450-468)								
Influenza (480-483)	1		1		5		7	
Lobar pneumonia 4 weeks (490)	3		1		3		10	
Bronchopneumonia 4 weeks (491)	2				2		4	
Pneumonia, other forms 4 weeks (492-493)	1		5		4		8	
Bronchitis (500-502)			3		8		2	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1		2	
Gastro Enteritis and colitis, 2 years (571.1)					3	1	2	
Cirrhosis of liver (581)					1		1	
Other diseases of digestive system (530-587 excl. above)	3				2		4	
Nephritis and nephrosis (590-594)	3		4		8	1	9	
Complications of pregnancy and puerperium (640-652; 670-689)	2		4		9		2	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)								
Pneumonia of newborn (under 4 weeks) (763)					8	1	4	
Diarrhea of newborn (under 4 weeks) (764)	2		1		6		2	
Other infections of newborn (under 4 weeks) (765-769)	1				2		1	
Other diseases of early infancy (under 4 weeks) (770-776)					4		1	
Senility, ill defined and unknown causes (780-795)					10	3	10	1
All other diseases (residual)								
Motor vehicle accidents (810-835)			3		5			
All other accidents (800-802; 840-965)	6		2		17		11	1
Suicide and self-inflicted injury (970-979)	6		2		14	1	17	
Homicide (980-985)	2		7		19		16	
	2		1		3		2	
					2	1		1



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Gasconade		Gentry		Greene inc. Springfield		Grundy	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	12,400		10,700		107,500		13,100	
LIVE BIRTHS								
Attended by M. D.	231	0	176	0	2284	53	231	0
Attended by D. O.	200		66		2154	53	217	
Attended by midwives	31		110		126		14	
Others or unspecified					4			
STILLBIRTHS								
Attended by M. D.	6	0	6	0	30	1	4	0
Attended by D. O.	5		2		29	1	4	
Attended by midwives	1		4		1			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	141	0	123	0	1050	43	196	0
Neonatal deaths	6		2		51	8	12	
Maternal deaths	4		2		39	4	9	
	1				1	1		
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2		1		13			
Tuberculosis, other forms (010-019)			1			1		
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			2		4			
Typhoid fever (040)			1					
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					2			
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)					2		2	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1		1		1			
Malignant neoplasms (140-205)	23		16		139	3	25	
Benign and unspecified neoplasms (210-239)					1			
Diabetes mellitus (260)	3				11		3	
Anemias (290-293)			1		6			
Vascular lesions affecting central nervous system (330-334)	25		23		133	9	29	
Nonmeningococcal meningitis (340)					2			
Rheumatic fever (400-402)			1		2			
Chronic rheumatic heart disease (410-416)	1				16		3	
Arteriosclerotic and degenerative heart disease (420-422)	37		36		318	5	52	
Other diseases of heart (430-434)	4		1		19		4	
Hypertension with heart disease (440-443)	9		5		65	5	10	
Hypertension w/o mention of heart (444-447)	1		1		14	1		
Other diseases of circulatory system (450-468)	5		7		48	1	14	
Influenza (480-483)	1		1		4	1	5	
Lobar pneumonia 4 weeks (490)	1		5		4	3	6	
Bronchopneumonia 4 weeks (491)					9	1	1	
Pneumonia, other forms 4 weeks (492-493)	1		2		9		3	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1		1	2		
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1				11		1	
Other diseases of digestive system (530-587 excl. above)	2		4		20		4	
Nephritis and nephrosis (590-594)	1		2		17		4	
Complications of pregnancy and puerperium (640-652; 670-689)	1				1	1		
Congenital malformations (750-759)	1				13			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		1		18	1	1	
Pneumonia of newborn (under 4 weeks) (763)					2		1	
Diarrhea of newborn (under 4 weeks) (764)					1			
Other infections of newborn (under 4 weeks) (765-769)					1	1		
Other diseases of early infancy (under 4 weeks) (770-776)	3		1		13	2	6	
Senility, ill defined and unknown causes (780-795)	2				13		1	
All other diseases (residual)	3		4		36	4	7	
Motor vehicle accidents (810-835)	2		1		35		4	
All other accidents (800-802; 840-965)	6		2		26	1	5	
Suicide and self-inflicted injury (970-979)	3		2		15		3	
Homicide (980-985)					1		2	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Harrison		Henry		Hickory		Holt	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	13,800		19,800		5,300		9,800	
LIVE BIRTHS	234	0	354	4	84	0	148	0
Attended by M. D.	123		232	1	33		119	
Attended by D. O.	111		122	3	51		29	
Attended by midwives								
Others or unspecified								
STILLBIRTHS	1	0	9	0	1	0	2	0
Attended by M. D.			5				2	
Attended by D. O.	1		4		1			
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	172	0	284	1	55	0	139	0
Under one year of age	7		10		2		5	
Neonatal deaths	6		7		2		3	
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	3				1			
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)					1		1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)	1		1					
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	1		1				1	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	
Malignant neoplasms (140-205)	32		39		5		19	
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)			3		2		2	
Anemias (290-293)	1		2					
Vascular lesions affecting central nervous system (330-334)	28		29	1	11		17	
Nonmeningococcal meningitis (340)					1			
Rheumatic fever (400-402)			1					
Chronic rheumatic heart disease (410-416)	1		3		1			
Arteriosclerotic and degenerative heart disease (420-422)	41		93		14		47	
Other diseases of heart (430-434)			5				3	
Hypertension with heart disease (440-443)	14		9		4		4	
Hypertension w/o mention of heart (444-447)	1		10				2	
Other diseases of circulatory system (450-468)	8		10		2		2	
Influenza (480-483)	1		5		1		1	
Lobar pneumonia 4 weeks (490)	1		2					
Bronchopneumonia 4 weeks (491)	1		3		1			
Pneumonia, other forms 4 weeks (492-493)	1		3		1		3	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1					
Gastro Enteritis and colitis, 2 years (571.1)	1							
Cirrhosis of liver (581)	2		2				1	
Other diseases of digestive system (530-587 excl. above)	2		5		1		6	
Nephritis and nephrosis (590-594)	6		6		1		4	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	1		3				1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		3				2	
Pneumonia of newborn (under 4 weeks) (763)	2		1		1			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	1		2				1	
Senility, ill defined and unknown causes (780-795)	2		1		3			
All other diseases (residual)	6		13		1		7	
Motor vehicle accidents (810-835)	3		9		1		3	
All other accidents (800-802; 840-965)	9		12		2		9	
Suicide and self-inflicted injury (970-979)			7					
Homicide (980-985)							2	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

*Independence Kansas City (part)	Howard		Howell		Iron		Jackson inc. cities noted*	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	11,700		22,800		9,400		552,000	
LIVE BIRTHS	175	32	541	1	169	2	11,917	1,673
Attended by M.D.	152	21	343		151	1	10,398	1,634
Attended by D.O.	23	9	184		8		1,517	35
Attended by midwives		2	8	1	7			1
Others or unspecified			6		3	1	2	3
STILLBIRTHS	1	0	4	0	3	0	175	27
Attended by M.D.	1		4		1		153	24
Attended by D.O.					1		20	2
Attended by midwives								
Others or unspecified					1		2	1
TOTAL DEATHS	137	36	251	1	129	2	5,461	894
Under one year of age	8	1	18		5		286	86
Neonatal deaths	6		11		4		200	53
Maternal deaths		1			1		4	2
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1	1	1		1		81	34
Tuberculosis, other forms (010-019)							5	2
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)		1					24	1
Typhoid fever (040)								6
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)			1					
Amebic dysentery (046)					1		1	
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)			1				1	
Diphtheria (055)							3	
Whooping cough (056)								
Meningococcal infections (057)			2				4	1
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)							17	3
Acute infectious encephalitis (082)							3	
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1		2				12	2
Malignant neoplasms (140-205)	21	5	26		22		833	120
Benign and unspecified neoplasms (210-239)	3		1				12	7
Diabetes mellitus (260)	1		4		1		83	16
Anemias (290-293)			1				9	2
Vascular lesions affecting central nervous system (330-334)	18	6	31		20		613	68
Nonmeningococcal meningitis (340)	1						11	5
Rheumatic fever (400-402)					1		8	1
Chronic rheumatic heart disease (410-416)	1		2				68	18
Arteriosclerotic and degenerative heart disease (420-422)	40	8	92	1	33	1	1,578	101
Other diseases of heart (430-434)	4		7		2		74	16
Hypertension with heart disease (440-443)	9	3	17		4		233	112
Hypertension w/o mention of heart (444-447)		1	2				42	18
Other diseases of circulatory system (450-468)	4	1	3		1		170	19
Influenza (480-483)			2		3		9	4
Lobar pneumonia 4 weeks (490)	2		6		8		41	14
Bronchopneumonia 4 weeks (491)	1	2	1		1	1	99	21
Pneumonia, other forms 4 weeks (492-493)	1	2			3		19	5
Bronchitis (500-502)							8	2
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							11	10
Gastro Enteritis and colitis, 2 years (571.1)					3		3	2
Cirrhosis of liver (581)	1		1		2		94	7
Other diseases of digestive system (530-587 excl. above)	4		3		1		147	25
Nephritis and nephrosis (590-594)	3		1		2		84	38
Complications of pregnancy and puerperium (640-652; 670-689)		1			1		4	2
Congenital malformations (750-759)	2		3				78	4
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		4				80	14
Pneumonia of newborn (under 4 weeks) (763)							8	4
Diarrhea of newborn (under 4 weeks) (764)	1						5	1
Other infections of newborn (under 4 weeks) (765-769)							7	
Other diseases of early infancy (under 4 weeks) (770-776)	3		5		2		58	31
Senility, ill defined and unknown causes (780-795)			4				182	23
All other diseases (residual)	2	2	13		7		252	61
Motor vehicle accidents (810-835)	3		7		4		115	12
All other accidents (800-802; 840-965)	8	2	7		5		208	25
Suicide and self-inflicted injury (970-979)	1		1		1		45	1
Homicide (980-985)		1					19	36



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

*Carthage Joplin	Jasper inc. cities noted*		Jefferson		Johnson		Knox	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	79,200		39,800		22,200		7,400	
LIVE BIRTHS								
Attended by M.D.	1,615	16	1,130	21	334	9	144	0
Attended by D.O.	1,356	15	1,073	21	314	9	62	
Attended by midwives	259	1	50		20		82	
Others or unspecified			5					
STILLBIRTHS								
Attended by M.D.	22	1	14	0	2	0	0	0
Attended by D.O.	19	1	13		2			
Attended by midwives	3		1					
Others or unspecified								
TOTAL DEATHS								
Under one year of age	966	16	365	8	272	12	95	0
Neonatal deaths	45	1	17		14		5	
Maternal deaths	33	1	13		8		4	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	24		5	1	2			
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	6	1						
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)	1							
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)	1							
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)	1							
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	1				1		1	
Acute infectious encephalitis (082)			2					
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	8		1		2			
Malignant neoplasms (140-205)	153	1	44		43	2	14	
Benign and unspecified neoplasms (210-239)	3							
Diabetes mellitus (260)	14			1	3			
Anemias (290-293)	2		1					
Vascular lesions affecting central nervous system (330-334)	97	5	35		37	1	11	
Nonmeningococcal meningitis (340)	3				1			
Rheumatic fever (400-402)	3							
Chronic rheumatic heart disease (410-416)	10		3					
Arteriosclerotic and degenerative heart disease (420-422)	308	3	121	2	78	2	27	
Other diseases of heart (430-434)	11		5		4			
Hypertension with heart disease (440-443)	45		23	2	19	2	9	
Hypertension w/o mention of heart (444-447)	10		1				4	
Other diseases of circulatory system (450-468)	17		12		15		2	
Influenza (480-483)	5		1					
Lobar pneumonia 4 weeks (490)	16	2	3		1		3	
Bronchopneumonia 4 weeks (491)	13		1		9		3	
Pneumonia, other forms 4 weeks (492-493)	11				1		2	
Bronchitis (500-502)			1		2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1				1			
Gastro Enteritis and colitis, 2 years (571.1)	1		1					
Cirrhosis of liver (581)	9		4					
Other diseases of digestive system (530-587 excl. above)	22		12	1	6		1	
Nephritis and nephrosis (590-594)	24	1	1		4		3	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	9		7				1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	14		1		2			
Pneumonia of newborn (under 4 weeks) (763)					1			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)	1						1	
Other diseases of early infancy (under 4 weeks) (770-776)	12	1	7		5		2	
Senility, ill defined and unknown causes (780-795)	5	1	3		2	1		
All other diseases (residual)	39	1	18		9		5	
Motor vehicle accidents (810-835)	20		20		8	1	2	
All other accidents (800-802; 840-965)	34		27	1	12	3	3	
Suicide and self-inflicted injury (970-979)	9		5		3		1	
Homicide (980-985)	3				1			



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Laclede		Lafayette		Lawrence		Lewis	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	19,100		25,000		23,300		10,500	
LIVE BIRTHS								
Attended by M. D.	455	5	509	28	418	0	167	8
Attended by D. O.	439	5	464	22	368		123	5
Attended by midwives	11		44	6	49		44	3
Others or unspecified	4		1		1			
STILLBIRTHS								
Attended by M. D.	6	0	5	0	5	0	3	0
Attended by D. O.	5		5		5		3	
Attended by midwives	1							
Others or unspecified								
TOTAL DEATHS								
Under one year of age	182	4	285	26	264	0	172	11
Neonatal deaths	10		17		11		5	1
Maternal deaths	6		17		8		3	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	4		4	3	6			
Tuberculosis, other forms (010-019)				1	1		1	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)					1		1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					1			
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)							1	
Acute infectious encephalitis (082)	1							
Measles (085)	1							
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1		1		2		1	
Malignant neoplasms (140-205)	27		42	1	36		25	3
Benign and unspecified neoplasms (210-239)			1		1		1	
Diabetes mellitus (260)	2		3		8			1
Anemias (290-293)			1		1			
Vascular lesions affecting central nervous system (330-334)	14		27	9	39		26	2
Nonmeningococcal meningitis (340)					1			
Rheumatic fever (400-402)							1	
Chronic rheumatic heart disease (410-416)	6		2		5		3	
Arteriosclerotic and degenerative heart disease (420-422)	51	1	93	6	75		52	
Other diseases of heart (430-434)	5	1	2		5		4	
Hypertension with heart disease (440-443)	20		15		12		7	1
Hypertension w/o mention of heart (444-447)	1		2		5		3	
Other diseases of circulatory system (450-468)	3		11		6		1	
Influenza (480-483)	2				5		6	
Lobar pneumonia 4 weeks (490)	1		3		3		1	1
Bronchopneumonia 4 weeks (491)	4		3		2		1	1
Pneumonia, other forms 4 weeks (492-493)	2				2		2	
Bronchitis (500-502)			1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1							
Gastro Enteritis and colitis, 2 years (571.1)	1		1					
Cirrhosis of liver (581)	2		2		4			
Other diseases of digestive system (530-587 excl. above)	3		5		4		6	1
Nephritis and nephrosis (590-594)	6	1	7		9		3	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	3		5		1			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	3		6		2			
Pneumonia of newborn (under 4 weeks) (763)	1				1		1	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)					1			
Other diseases of early infancy (under 4 weeks) (770-776)	1		7		3		2	
Senility, ill defined and unknown causes (780-795)	1		3		3		1	
All other diseases (residual)	9		13	1	11		12	
Motor vehicle accidents (810-835)	3	1	8	1	1		3	
All other accidents (800-802; 840-965)	3		14	4	5		5	1
Suicide and self-inflicted injury (970-979)			2		1		2	
Homicide (980-985)			1					



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Lincoln		Linn		Livingston		McDonald	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	13,500		18,500		16,400		14,200	
LIVE BIRTHS								
Attended by M.D.	254	6	314	6	291	10	256	0
Attended by D.O.	213	6	207	4	244	10	136	
Attended by midwives	41		107	2	47		115	
Others or unspecified							3	
STILLBIRTHS								
Attended by M.D.	6	0	6	0	4	0	5	0
Attended by D.O.	5		4		4		1	
Attended by midwives	1		2				4	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	161	11	266	6	187	7	128	0
Neonatal deaths	4		11		8	1	6	
Maternal deaths	2		6		7		4	
	1				1			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)			5		1		4	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			1				2	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)		1	1					
Acute infectious encephalitis (082)								
Measles (085)			1					
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1					
Malignant neoplasms (140-205)	17	2	39	3	20	2	16	
Benign and unspecified neoplasms (210-239)							1	
Diabetes mellitus (260)	3		6		3		2	
Anemias (290-293)							1	
Vascular lesions affecting central nervous system (330-334)	23		44	1	27	2	17	
Nonmeningococcal meningitis (340)						1		
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1		5		8			
Arteriosclerotic and degenerative heart disease (420-422)	65	3	72		71	1	37	
Other diseases of heart (430-434)	1	1	2		7	1	5	
Hypertension with heart disease (440-443)	6		9		2		2	
Hypertension w/o mention of heart (444-447)	1	1	3	1	1		1	
Other diseases of circulatory system (450-468)	4	1	11		7		6	
Influenza (480-483)					2		2	
Lobar pneumonia 4 weeks (490)	4		1		1		2	
Bronchopneumonia 4 weeks (491)	4		1		1		2	
Pneumonia, other forms 4 weeks (492-493)	2		1		2		1	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			2					
Gastro Enteritis and colitis, 2 years (571.1)			2					
Cirrhosis of liver (581)		1	4		1		1	
Other diseases of digestive system (530-587 excl. above)	7		7		3		3	
Nephritis and nephrosis (590-594)	2		10		3		5	
Complications of pregnancy and puerperium (640-652; 670-689)	1				1			
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		3		1			
Pneumonia of newborn (under 4 weeks) (763)			1				2	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)			3		6		2	
Senility, ill defined and unknown causes (780-795)	2		2		1		1	
All other diseases (residual)	3		6	1	7		6	
Motor vehicle accidents (810-835)	4		6		4		2	
All other accidents (800-802; 840-965)	8		8		6		5	
Suicide and self-inflicted injury (970-979)	1		4		1			
Homicide (980-985)		1	2					



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Macon		Madison		Maries		Marion inc. Hannibal (part)	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	17,900		10,400		7,300		29,500	
LIVE BIRTHS								
Attended by M.D.	268	9	198	0	155	0	576	28
Attended by D.O.	134	2	153		67		557	28
Attended by midwives	134	7	42		88		19	
Others or unspecified			3					
STILLBIRTHS								
Attended by M.D.	1	0	4	0	3	0	13	0
Attended by D.O.	1		4		2		11	
Attended by midwives					1		2	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	246	8	97	3	75	0	351	37
Neonatal deaths	5		3		1		9	
Maternal deaths	5				1		8	
					1		1	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2		2				2	1
Tuberculosis, other forms (010-019)	2							
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	1							
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)			2					
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)							1	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1					1
Malignant neoplasms (140-205)	34	2	17		13		41	7
Benign and unspecified neoplasms (210-239)			1				1	1
Diabetes mellitus (260)	3		1		2		7	
Anemias (290-293)	2			1			2	
Vascular lesions affecting central nervous system (330-334)	37		11		8		46	3
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	4		4		2		3	2
Arteriosclerotic and degenerative heart disease (420-422)	61	2	24	1	25		126	11
Other diseases of heart (430-434)	6		3		1		10	2
Hypertension with heart disease (440-443)	11	1	1		2		25	4
Hypertension w/o mention of heart (444-447)	4				2		1	
Other diseases of circulatory system (450-468)	10		4		3		9	1
Influenza (480-483)	3		5				2	
Lobar pneumonia 4 weeks (490)	2		2		2		1	
Bronchopneumonia 4 weeks (491)	3						3	
Pneumonia, other forms 4 weeks (492-493)	1		1				2	
Bronchitis (500-502)	1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1					
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)			3				4	1
Other diseases of digestive system (530-587 excl. above)	5	2	3		1		10	
Nephritis and nephrosis (590-594)	11				5			
Complications of pregnancy and puerperium (640-652; 670-689)					1		1	
Congenital malformations (750-759)	1						3	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	4				1		3	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)							3	
Senility, ill defined and unknown causes (780-795)	4						1	1
All other diseases (residual)	12		4		4		14	
Motor vehicle accidents (810-835)	8	1	4		1		9	
All other accidents (800-802; 840-965)	13		3	1	1		13	2
Suicide and self-inflicted injury (970-979)	1				1		8	
Homicide (980-985)								



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Mercer		Miller		Mississippi		Moniteau	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	7,000		13,700		22,600		10,700	
LIVE BIRTHS	110	0	310	1	462	143	206	2
Attended by M.D.	49		81	1	305	23	146	
Attended by D.O.	61		229		149	45	58	2
Attended by midwives					5	75	1	
Others or unspecified					3		1	
STILLBIRTHS	3	0	6	0	9	1	6	0
Attended by M.D.	1		1		8		5	
Attended by D.O.	2		5		1		1	
Attended by midwives						1		
Others or unspecified								
TOTAL DEATHS	87	0	136	0	151	72	150	1
Under one year of age	4		5		18	14	5	
Neonatal deaths	2		4		11	6	2	
Maternal deaths			1					
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2		1				3	
Tuberculosis, other forms (010-019)					1			
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)			1					
Amebic dysentery (046)					1			
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)					1	1		
Meningococcal infections (057)					1		1	
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)						1	1	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-.08)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1				2		1	
Malignant neoplasms (140-205)	12		18		16	9	14	
Benign and unspecified neoplasms (210-239)	1							
Diabetes mellitus (260)	1		5		2		2	
Anemias (290-293)			1		1		1	
Vascular lesions affecting central nervous system (330-334)	10		18		22	12	26	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)			1					
Chronic rheumatic heart disease (410-416)			2			1	3	
Arteriosclerotic and degenerative heart disease (420-422)	22		42		37	7	41	
Other diseases of heart (430-434)	3		1		2	2	1	
Hypertension with heart disease (440-443)	4		14		11	3	4	
Hypertension w/o mention of heart (444-447)	1				1	2	4	
Other diseases of circulatory system (450-468)	1		2		5	2	23	
Influenza (480-483)					2	2		
Lobar pneumonia 4 weeks (490)	1		1		4	1	3	
Bronchopneumonia 4 weeks (491)			2					
Pneumonia, other forms 4 weeks (492-493)					3	3	1	
Bronchitis (500-502)					1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					2	3		
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)			2					
Other diseases of digestive system (530-587 excl. above)	4		2		2		2	
Nephritis and nephrosis (590-594)	1		1		1	7		
Complications of pregnancy and puerperium (640-652; 670-689)			1					
Congenital malformations (750-759)	2				2		2	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			3		4	1		
Pneumonia of newborn (under 4 weeks) (763)					1			
Diarrhea of newborn (under 4 weeks) (764)						1		
Other infections of newborn (under 4 weeks) (765-769)					1			
Other diseases of early infancy (under 4 weeks) (770-776)	1		1		2	4	1	
Senility, ill defined and unknown causes (780-795)	3				2	2		
All other diseases (residual)	7		5		1	2	5	
Motor vehicle accidents (810-835)	4		3		4	1	3	
All other accidents (800-802; 840-965)	5		7		8		7	1
Suicide and self-inflicted injury (970-979)	1		2		2		1	
Homicide (980-985)						5		



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Monroe		Montgomery		Morgan		New Madrid inc. Sikeston (part)	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	11,000		11,400		10,100		40,200	
LIVE BIRTHS								
Attended by M. D.	162	11	204	14	178	2	722	197
Attended by D. O.	122	9	97	2	133	1	625	58
Attended by midwives	40	2	107	11	43	1	61	5
Others or unspecified					1		27	128
STILLBIRTHS								
Attended by M. D.	3	2	6	0	1		9	6
Attended by D. O.	3		3		3	0	7	7
Attended by midwives		2	3		1		7	6
Others or unspecified								
TOTAL DEATHS								
Under one year of age	157	5	152	6	110	3	250	85
Neonatal deaths	4	1	6		4		34	21
Maternal deaths	4	1	4		4		21	13
							2	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2		3				3	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)							2	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)							1	
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)							1	
Whooping cough (056)							4	2
Meningococcal infections (057)							1	
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)			1				1	1
Acute infectious encephalitis (082)								
Measles (085)							1	
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)							1	
Other infectious and parasitic diseases (030-138, exc. above)								1
Malignant neoplasms (140-205)	15	1	35	3	14		39	11
Benign and unspecified neoplasms (210-239)			1				1	2
Diabetes mellitus (260)	4		5		2		1	
Anemias (290-293)	1							
Vascular lesions affecting central nervous system (330-334)	34	1	18		20		26	10
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)					1		2	2
Chronic rheumatic heart disease (410-416)			1		2		1	2
Arteriosclerotic and degenerative heart disease (420-422)	52	1	37	2	27	1	40	7
Other diseases of heart (430-434)	1				3		12	4
Hypertension with heart disease (440-443)	9	1	7		7		11	3
Hypertension w/o mention of heart (444-447)			5		2		4	1
Other diseases of circulatory system (450-468)	4		3		5		3	
Influenza (480-483)	1		1	1			1	
Lobar pneumonia 4 weeks (490)	2				1		5	
Bronchopneumonia 4 weeks (491)	1				3		3	2
Pneumonia, other forms 4 weeks (492-493)	1						1	1
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)							6	3
Cirrhosis of liver (581)							1	
Other diseases of digestive system (530-587 excl. above)	3		4		3		2	
Nephritis and nephrosis (590-594)	9		8		3		4	1
Complications of pregnancy and puerperium (640-652; 670-689)							2	
Congenital malformations (750-759)							4	1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1	1	4		2		9	1
Pneumonia of newborn (under 4 weeks) (763)							3	1
Diarrhea of newborn (under 4 weeks) (764)								1
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	3		2		2		4	4
Senility, ill defined and unknown causes (780-795)	1		1				8	8
All other diseases (residual)	2		7		6	1	13	1
Motor vehicle accidents (810-835)	5		3		2		10	3
All other accidents (800-802; 840-965)	6		4		4	1	8	9
Suicide and self-inflicted injury (970-979)			1		1		1	
Homicide (980-985)								3



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Newton inc. Joplin (part)		Nodaway		Oregon		Osage	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	28,400		23,800		11,900		11,200	
LIVE BIRTHS	556	6	435	0	169	1	260	0
Attended by M.D.	421	4	376		109	1	177	
Attended by D.O.	135	2	59		54		82	
Attended by midwives					3			
Others or unspecified					3		1	
STILLBIRTHS	8	0	4	0	1	0	7	0
Attended by M.D.	5		3		1		4	
Attended by D.O.	3		1				3	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	293	7	281	0	91	0	102	0
Under one year of age	13		10		4		5	
Neonatal deaths	9		9		4		2	
Maternal deaths	3		2					
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	11		2		4			
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			3				1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)	1							
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					1			
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	1		1					
Acute infectious encephalitis (082)	1							
Measles (085)	1							
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	30		48		12		12	
Benign and unspecified neoplasms (210-239)	1		2					
Diabetes mellitus (260)	3		7					
Anemias (290-293)	3						1	
Vascular lesions affecting central nervous system (330-334)	38	1	43		11		9	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)	1		1				1	
Chronic rheumatic heart disease (410-416)	3		2		3		4	
Arteriosclerotic and degenerative heart disease (420-422)	73	1	87		30		27	
Other diseases of heart (430-434)	4	1	1		3		5	
Hypertension with heart disease (440-443)	14		7		5		12	
Hypertension w/o mention of heart (444-447)	4		2				1	
Other diseases of circulatory system (450-468)	6	1	4		1		4	
Influenza (480-483)	4	1	6					
Lobar pneumonia 4 weeks (490)	2		6		3		3	
Bronchopneumonia 4 weeks (491)	1		3		1			
Pneumonia, other forms 4 weeks (492-493)	4						3	
Bronchitis (500-502)	1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1		1		1		1	
Other diseases of digestive system (530-587 excl. above)	6		8		1		4	
Nephritis and nephrosis (590-594)	7		5		1		2	
Complications of pregnancy and puerperium (640-652; 670-689)	3		2					
Congenital malformations (750-759)	3		2					
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	5		3		1		1	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	5		5		3		1	
Senility, ill defined and unknown causes (780-795)	8	1	2					
All other diseases (residual)	14	1	11		4		4	
Motor vehicle accidents (810-835)	14		6		1		1	
All other accidents (800-802; 840-965)	17		9		2		4	
Suicide and self-inflicted injury (970-979)	3		2		1		1	
Homicide (980-985)					2			



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Ozark		Pemiscol		Perry		Pettis inc. Sedalia	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	8,700		45,800		14,800		32,500	
LIVE BIRTHS								
Attended by M.D.	121	0	789	309	371	0	617	34
Attended by D.O.	46		696	100	341		512	34
Attended by midwives	72		61	9	29		105	
Others or unspecified	2		23	187				
STILLBIRTHS								
Attended by M.D.	1		9	13	1			
Attended by D.O.	3	0	15	12	8	0	20	1
Attended by midwives	1		12	7	8		18	1
Others or unspecified	2		2				2	
TOTAL DEATHS								
Under one year of age	50	0	274	152	116	1	383	42
Neonatal deaths	3		29	27	7		13	1
Maternal deaths	2		17	13	4		12	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)			5	3	2		3	
Syphilis, under 1 year (020-029)							2	
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)			1					
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)				1				
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)				1				
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)			1		1			
Acute infectious encephalitis (082)			1					
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1					
Malignant neoplasms (140-205)	6		25	9	16		51	7
Benign and unspecified neoplasms (210-239)							2	
Diabetes mellitus (260)			4	3	2		8	1
Anemias (290-293)			1					
Vascular lesions affecting central nervous system (330-334)	1		1					
Nonmeningococcal meningitis (340)	7		28	14	17		42	4
Rheumatic fever (400-402)			1				2	
Chronic rheumatic heart disease (410-416)			2					
Arteriosclerotic and degenerative heart disease (420-422)			4		1		4	
Other diseases of heart (430-434)	17		51	20	31	1	137	12
Hypertension with heart disease (440-443)	2		5	1				
Hypertension w/o mention of heart (444-447)	3		26	13	9		33	2
Other diseases of circulatory system (450-468)								
Influenza (480-483)	1		1	3	2		2	5
Lobar pneumonia 4 weeks (490)			3	2	4		6	1
Bronchopneumonia 4 weeks (491)			3	1			2	2
Pneumonia, other forms 4 weeks (492-493)			1	4	3		2	2
Bronchitis (500-502)			3		1		2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1				5	
Gastro Enteritis and colitis, 2 years (571.1)			5	4	1		1	1
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)			4	3	1		11	1
Nephritis and nephrosis (590-594)	1		5	1			7	2
Complications of pregnancy and puerperium (640-652; 670-689)			1	1			1	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		3	1	4		1	1
Pneumonia of newborn (under 4 weeks) (763)	1		6	4	2		8	
Diarrhea of newborn (under 4 weeks) (764)				1				
Other infections of newborn (under 4 weeks) (765-769)			2					
Other diseases of early infancy (under 4 weeks) (770-776)			1	1				
Senility, ill defined and unknown causes (780-795)			6	4	2		3	
All other diseases (residual)			12	15	2			
Motor vehicle accidents (810-835)			13	6	8		15	
All other accidents (800-802; 840-965)	2		16	3	2		7	
Suicide and self-inflicted injury (970-979)	3		25	18	4		15	1
Homicide (980-985)			3		1		8	
	1		3	7			1	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Phelps		Pike		Platte		Polk	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	21,800		16,600		15,800		15,900	
LIVE BIRTHS								
Attended by M.D.	536	1	335	29	309	13	239	0
Attended by D.O.	425	1	255	22	297	13	165	
Attended by midwives	102		77	7	12		74	
Others or unspecified	9		2					
STILLBIRTHS								
Attended by M.D.	14	0	4	2	4	0	3	0
Attended by D.O.	10		3	2	3		1	
Attended by midwives	2		1		1		2	
Others or unspecified	1							
TOTAL DEATHS								
Under one year of age	232	0	164	27	164	2	174	0
Neonatal deaths	18		9	1	6		6	
Maternal deaths	13		4	1	4		3	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	7		1		1			
Tuberculosis, other forms (010-019)	1		1					
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			2					
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)				1				
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)							1	
Tularemia (059)					1			
Tetanus (061)	1							
Acute poliomyelitis (080)							1	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1		1			
Malignant neoplasms (140-205)	32		19	2	27		29	
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	5		1		2		1	
Anemias (290-293)	1		1				1	
Vascular lesions affecting central nervous system (330-334)	25		7	4	27	1	30	
Nonmeningococcal meningitis (340)					1		1	
Rheumatic fever (400-402)	1							
Chronic rheumatic heart disease (410-416)	5		5		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	53		58	10	55	1	54	
Other diseases of heart (430-434)	4		3		2		1	
Hypertension with heart disease (440-443)	14		14	3	3		9	
Hypertension w/o mention of heart (444-447)	6		5		1		1	
Other diseases of circulatory system (450-468)	4		7	3	9		7	
Influenza (480-483)	4		2					
Lobar pneumonia 4 weeks (490)	2				2			
Bronchopneumonia 4 weeks (491)	3		4				3	
Pneumonia, other forms 4 weeks (492-493)	1		1		1			
Bronchitis (500-502)			1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1		1		1		1	
Other diseases of digestive system (530-587 excl. above)	4		1		4		6	
Nephritis and nephrosis (590-594)	7		2	1			2	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	8		3					
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	6		3		2		1	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	2				2		2	
Senility, ill defined and unknown causes (780-795)	1				1		2	
All other diseases (residual)	13		3	1	6		10	
Motor vehicle accidents (810-835)	12		7	2	6		6	
All other accidents (800-802; 840-965)	10		9		7		3	
Suicide and self-inflicted injury (970-979)			2					
Homicide (980-985)								



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Pulaski		Putnam		Ralls inc. Hannibal (part)		Randolph inc. Moberly	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	10,400		8,700		8,500		22,600	
LIVE BIRTHS								
Attended by M.D.	477	9	138	0	167	2	410	30
Attended by D.O.	303	9	47		152	1	265	14
Attended by midwives	174		91		15	1	145	14
Others or unspecified								2
STILLBIRTHS								
Attended by M.D.	7	0	0	0	3	0	7	0
Attended by D.O.	3				3		5	
Attended by midwives	4						2	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	144	4	113	0	100	6	327	26
Neonatal deaths	18	1	3		4	1	14	4
Maternal deaths	13	1	3		4	1	9	2
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)			2		1		2	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)							1	1
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)	1						1	
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)					1			
Acute infectious encephalitis (082)			1				1	
Measles (085)					1			
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1						1	
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	18		12		10		31	1
Diabetes mellitus (260)			1					1
Anemias (290-293)	2		4		3		6	
Vascular lesions affecting central nervous system (330-334)			2				1	
Nonmeningococcal meningitis (340)	17		22		10		39	4
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	4						2	
Arteriosclerotic and degenerative heart disease (420-422)	38		31		36	2	116	9
Other diseases of heart (430-434)	3		2				7	
Hypertension with heart disease (440-443)	4		9		5	1	14	2
Hypertension w/o mention of heart (444-447)								
Other diseases of circulatory system (450-468)	1		1				1	
Influenza (480-483)	2		2		3		9	
Lobar pneumonia 4 weeks (490)	1						3	1
Bronchopneumonia 4 weeks (491)			1				6	
Pneumonia, other forms 4 weeks (492-493)	2		1		1		2	
Bronchitis (500-502)	1				4		1	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)							2	
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	1						4	
Nephritis and nephrosis (590-594)	4		3		1		9	1
Complications of pregnancy and puerperium (640-652; 670-689)	2		2		4		6	
Congenital malformations (750-759)					1			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	9		1		2		5	
Pneumonia of newborn (under 4 weeks) (763)	5	1			1		2	1
Diarrhea of newborn (under 4 weeks) (764)	1					1		
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	3		1		1		3	1
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	1		3		1		3	1
Motor vehicle accidents (810-835)	6		7		3		14	1
All other accidents (800-802; 840-965)	11	1	2		1		13	
Suicide and self-inflicted injury (970-979)	5		2		8	2	17	1
Homicide (980-985)	1		1		2		3	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Ray		Reynolds		Ripley		St. Charles inc. St. Charles City	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	15,700		6,700		11,400		30,300	
LIVE BIRTHS								
Attended by M.D.	296	2	133	0	206	0	807	16
Attended by D.O.	278	2	88		188		772	16
Attended by midwives	18		32		3		35	
Others or unspecified			10		7			
STILLBIRTHS								
Attended by M.D.	5	0	4	0	1	0	10	0
Attended by D.O.	5		4		1		10	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS								
Under one year of age	222	13	70	0	123	0	322	10
Neonatal deaths	9		8		6		16	2
Maternal deaths	8		7		4		10	2
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	2				3		2	
Syphilis, under 1 year (020-029)	1							
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1							
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)	1							
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)			1					
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)					1		1	
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	32	3	9		14		46	2
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	3				3		5	
Anemias (290-293)					1			
Vascular lesions affecting central nervous system (330-334)	37	2	6		26		33	1
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	3		1		3		4	
Arteriosclerotic and degenerative heart disease (420-422)	50		18		20		113	3
Other diseases of heart (430-434)	1				1		3	
Hypertension with heart disease (440-443)	16	5	1		6		21	
Hypertension w/o mention of heart (444-447)	1						8	
Other diseases of circulatory system (450-468)	7	1	1		6		15	1
Influenza (480-483)	1		1		1		1	
Lobar pneumonia 4 weeks (490)	1		6		7		1	
Bronchopneumonia 4 weeks (491)	6		1				3	
Pneumonia, other forms 4 weeks (492-493)	4		2				2	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1				1			
Gastro Enteritis and colitis, 2 years (571.1)	1		1		1		1	
Cirrhosis of liver (581)			1					
Other diseases of digestive system (530-587 excl. above)	3		1		1		8	
Nephritis and nephrosis (590-594)	4	2	1		6		3	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	2		2		1		7	1
Birth injuries, asphxia, (under 4 weeks.) (760-762)	4		2				3	
Pneumonia of newborn (under 4 weeks) (763)			2		1		1	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	1		1		2		3	1
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)					3		1	
Motor vehicle accidents (810-835)	14		3		7		8	
All other accidents (800-802; 840-965)	12		8		3		12	1
Suicide and self-inflicted injury (970-979)	4		2		4		14	
Homicide (980-985)	3				1		3	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

\*Clayton Jennings Maplewood Richmond Heights  
Ferguson Kirkwood Overland University City Webster Groves

	St. Clair		St. Francois		Ste. Genevieve		St. Louis inc. cities noted*	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	10,200		35,300		11,400		430,000	
LIVE BIRTHS								
Attended by M.D.	152	1	751	2	295	2	11,230	468
Attended by D.O.	82	1	649	2	287	2	10,963	467
Attended by midwives	70		94		8		239	1
Others or unspecified			7				15	
STILLBIRTHS								
Attended by M.D.	0	0	8	1	3	0	153	10
Attended by D.O.			7	1	3		150	10
Attended by midwives			1				3	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	126	0	348	3	93	2	3,437	190
Neonatal deaths	2		22		8		208	19
Maternal deaths			10		7		176	13
							4	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)			7		2		27	4
Syphilis, under 1 year (020-029)							1	1
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1						10	3
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)			1		1		1	
Other and unspecified dysentery (047-048)			1					
Scarlet fever and streptococcal sore throat (050-051)			1					
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								1
Tularemia (059)							3	
Tetanus (061)								
Acute poliomyelitis (080)	1				1		1	
							9	
Acute infectious encephalitis (082)								
Measles (085)							2	
Rabies (094)								
Rocky mountain spotted fever (104)							1	
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			2				5	
Malignant neoplasms (140-205)	19		45	1	17	1	621	20
Benign and unspecified neoplasms (210-239)			1				10	
Diabetes mellitus (260)	2		9				59	1
Anemias (290-293)			1		1		8	
Vascular lesions affecting central nervous system (330-334)	23		39		11		345	20
Nonmeningococcal meningitis (340)	1		1				4	1
Rheumatic fever (400-402)							3	
Chronic rheumatic heart disease (410-416)	2		6				47	
Arteriosclerotic and degenerative heart disease (420-422)	32		100	1	29	1	1020	29
Other diseases of heart (430-434)	2		2		1		33	5
Hypertension with heart disease (440-443)	4		13	1	4		195	26
Hypertension w/o mention of heart (444-447)								
Other diseases of circulatory system (450-468)	2		3		1		22	2
Influenza (480-483)	2		10		2		72	1
Lobar pneumonia 4 weeks (490)	1		1				5	1
Bronchopneumonia 4 weeks (491)	1		7		2		26	2
Pneumonia, other forms 4 weeks (492-493)	3		10				15	2
			5				22	6
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1		4	
Gastro Enteritis and colitis, 2 years (571.1)			3				6	
Cirrhosis of liver (581)							3	
Other diseases of digestive system (530-587 excl. above)	1		4		1		34	1
Nephritis and nephrosis (590-594)	2		4		2		89	4
Complications of pregnancy and puerperium (640-652; 670-689)	8		7				40	6
							4	
Congenital malformations (750-759)			5				51	2
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		4		3		51	3
Pneumonia of newborn (under 4 weeks) (763)					1		4	
Diarrhea of newborn (under 4 weeks) (764)							1	
Other infections of newborn (under 4 weeks) (765-769)							1	
Other diseases of early infancy (under 4 weeks) (770-776)			3		3		80	10
Senility, ill defined and unknown causes (780-795)	4		1				117	17
All other diseases (residual)	5		16		5		136	6
Motor vehicle accidents (810-835)	1		10		1		78	6
All other accidents (800-802; 840-965)	6		22		4		116	5
Suicide and self-inflicted injury (970-979)	2		4				46	1
Homicide (980-985)							9	3



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Saline		Schuyler		Scotland		Scott inc. Sikeston (part)	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	26,400		5,600		7,200		33,000	
LIVE BIRTHS	413	30	102	0	112	0	764	89
Attended by M.D.	354	27	25		62		648	9
Attended by D.O.	58	3	77		50		101	3
Attended by midwives							14	75
Others or unspecified	1						1	2
STILLBIRTHS	12	0	2	0	2	0	14	6
Attended by M.D.	11		1		1		13	2
Attended by D.O.			1		1		1	
Attended by midwives								3
Others or unspecified	1						1	1
TOTAL DEATHS	288	33	86	0	82	0	279	34
Under one year of age	15	2	5		1		28	3
Neonatal deaths	10	2	3		1		19	2
Maternal deaths	1							
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	3	1	2				3	1
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)		1						1
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)	1							
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	2				1			
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1				4	
Malignant neoplasms (140-205)	30	2	14		14		35	1
Benign and unspecified neoplasms (210-239)							1	
Diabetes mellitus (260)	5				1		9	
Anemias (290-293)		1			1			
Vascular lesions affecting central nervous system (330-334)	39	6	15		14		38	6
Nonmeningococcal meningitis (340)	1							
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1	1	2		3		2	
Arteriosclerotic and degenerative heart disease (420-422)	89	5	22		19		85	4
Other diseases of heart (430-434)	5		3		2		3	
Hypertension with heart disease (440-443)	18	1			2		14	5
Hypertension w/o mention of heart (444-447)	6	1	1		1		2	
Other diseases of circulatory system (450-468)	14	2	1		2		6	1
Influenza (480-483)	4		4					1
Lobar pneumonia 4 weeks (490)	3	1			1		3	2
Bronchopneumonia 4 weeks (491)	3						5	
Pneumonia, other forms 4 weeks (492-493)	2				1		2	2
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1				2	
Gastro Enteritis and colitis, 2 years (571.1)		1	1					
Cirrhosis of liver (581)			1				2	
Other diseases of digestive system (530-587 excl. above)	8		1		3		7	
Nephritis and nephrosis (590-594)	5	3	2		3		1	
Complications of pregnancy and puerperium (640-652; 670-689)	1							
Congenital malformations (750-759)	2						5	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		1				7	
Pneumonia of newborn (under 4 weeks) (763)	1	1						
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)			1					
Other diseases of early infancy (under 4 weeks) (770-776)	4		1		1		10	1
Senility, ill defined and unknown causes (780-795)	2		1				1	
All other diseases (residual)	11	3	5		5		7	2
Motor vehicle accidents (810-835)	7	1	3		4		7	1
All other accidents (800-802; 840-965)	15	1	3		1		16	5
Suicide and self-inflicted injury (970-979)	4				3		1	
Homicide (980-985)		1					1	1



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Shannon		Shelby		Stoddard		Stone	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	8,200		9,500		33,500		9,600	
LIVE BIRTHS								
Attended by M. D.	153	0	175	4	718	54	153	0
Attended by D. O.	71		111	1	372	17	145	
Attended by midwives	63		64	3	338	14	7	
Others or unspecified	7				5	20		
STILLBIRTHS								
Attended by M. D.	12				3	3	1	
Attended by D. O.	5	0	2	1	11	2	6	0
Attended by midwives	3		2	1	7		4	
Others or unspecified	2				4	2	2	
TOTAL DEATHS								
Under one year of age	97	0	149	3	306	17	86	0
Neonatal deaths	4		2		27	4	3	
Maternal deaths	4		2		14	2	2	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)	1				5		3	
Syphilis, under 1 year (020-029)	1							
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)	1		1		1		1	
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)						1		
Acute infectious encephalitis (082)					1		1	
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					2			
Malignant neoplasms (140-205)								
Benign and unspecified neoplasms (210-239)	14		23	1	32	2	18	
Diabetes mellitus (260)								
Anemias (290-293)	3		5		3		5	
Vascular lesions affecting central nervous system (330-334)			1					
Nonmeningococcal meningitis (340)	27		22	1	47	1	6	
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1				1			
Arteriosclerotic and degenerative heart disease (420-422)	3				8	1		
Other diseases of heart (430-434)	19		37		55	5	27	
Hypertension with heart disease (440-443)	4		7		9		2	
Hypertension w/o mention of heart (444-447)	6		10		18	2	3	
Other diseases of circulatory system (450-468)			2		4			
Influenza (480-483)	1		4		4			
Lobar pneumonia 4 weeks (490)					2		2	
Bronchopneumonia 4 weeks (491)			2		6			
Pneumonia, other forms 4 weeks (492-493)					6	2	1	
Bronchitis (500-502)					2			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)					1	1		
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	1		1		9			
Nephritis and nephrosis (590-594)	4		2		13		1	
Complications of pregnancy and puerperium (640-652; 670-689)			4	1	11		1	
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			1		5		1	
Pneumonia of newborn (under 4 weeks) (763)					3		1	
Diarrhea of newborn (under 4 weeks) (764)	1							
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	2		2		7	1		
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	1				10		1	
Motor vehicle accidents (810-835)	2		6		18		2	
All other accidents (800-802; 840-965)			9		9		3	
Suicide and self-inflicted injury (970-979)	3		4		11	1	3	
Homicide (980-985)	1		5		2		3	
			1		1			



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Sullivan		Taney		Texas		Vernon	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	11,000		10,000		18,900		22,400	
LIVE BIRTHS	178	0	164	0	388	0	321	0
Attended by M. D.	63		146		307		313	
Attended by D. O.	115		15		74		8	
Attended by midwives			3		3			
Others or unspecified					4			
STILLBIRTHS	2	0	3	0	12	0	6	0
Attended by M. D.	2		2		9		6	
Attended by D. O.			1		3			
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	146	1	114	0	171	1	260	1
Under one year of age	6		3		6		8	
Neonatal deaths	6		3		1		5	
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	3		2		2		2	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)							1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)			1					
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Typhoid fever (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)					1			
Rabies (094)								
Rocky mountain spotted fever (104)			1					
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	27	1	16		14		32	
Benign and unspecified neoplasms (210-239)			1		1			
Diabetes mellitus (260)	1				3		4	
Anemias (290-293)	2							
Vascular lesions affecting central nervous system (330-334)	18		22		16		31	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1		5		2		6	
Arteriosclerotic and degenerative heart disease (420-422)	45		30		72		87	1
Other diseases of heart (430-434)	2		2		6		4	
Hypertension with heart disease (440-443)	6		5		7		21	
Hypertension w/o mention of heart (444-447)	3		3				1	
Other diseases of circulatory system (450-468)	9		3		3		3	
Influenza (480-483)					2		5	
Lobar pneumonia 4 weeks (490)	1				1		2	
Bronchopneumonia 4 weeks (491)	1				2		4	
Pneumonia, other forms 4 weeks (492-493)	1		2		2			
Bronchitis (500-502)	2				3			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)							1	
Cirrhosis of liver (581)			1				3	
Other diseases of digestive system (530-587 excl. above)	4		2		11		7	
Nephritis and nephrosis (590-594)	3		3		4		4	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	1		2				4	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		1		1		2	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	2				1		1	
Senility, ill defined and unknown causes (780-795)	2						4	
All other diseases (residual)	4		4		5		14	
Motor vehicle accidents (810-835)	1		3		6		4	
All other accidents (800-802; 840-965)	2		3		5		10	
Suicide and self-inflicted injury (970-979)	2		1		1		2	
Homicide (980-985)	1		1					



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Warren		Washington		Wayne		Webster	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952	7,700		14,600		10,400		15,000	
LIVE BIRTHS	122	5	362	4	165	0	303	0
Attended by M. D.	91	4	244	2	146		156	
Attended by D. O.	31	1	56	1	14		143	
Attended by midwives			48	1			1	
Others or unspecified			14		5		3	
STILLBIRTHS	5	1	7	0	4	0	3	0
Attended by M. D.	4	1	5		4		1	
Attended by D. O.	1						2	
Attended by midwives			1					
Others or unspecified			1					
TOTAL DEATHS	112	2	148	3	100	0	165	0
Under one year of age	6		19		4		2	
Neonatal deaths	4		9		4		2	
Maternal deaths	1							
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		2		2		3	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)				1				
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)					1			
Scarlet fever and streptococcal sore throat (050-051)		1						
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)			1					
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	
Malignant neoplasms (140-205)	17		20		9		30	
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)			1		1		3	
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	11		9		24		28	
Nonmeningococcal meningitis (340)	1							
Rheumatic fever (400-402)			1					
Chronic rheumatic heart disease (410-416)			1	1	1		4	
Arteriosclerotic and degenerative heart disease (420-422)	41	1	46		27		36	
Other diseases of heart (430-434)	1		1				2	
Hypertension with heart disease (440-443)	7		1		2		3	
Hypertension w/o mention of heart (444-447)	5		1		1		1	
Other diseases of circulatory system (450-468)	4		4		4		3	
Influenza (480-483)			9	1	1			
Lobar pneumonia 4 weeks (490)	2		3		2		5	
Bronchopneumonia 4 weeks (491)	2		2				2	
Pneumonia, other forms 4 weeks (492-493)	1						1	
Bronchitis (500-502)							1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			3					
Gastro Enteritis and colitis, 2 years (571.1)			1					
Cirrhosis of liver (581)	1							
Other diseases of digestive system (530-587 excl. above)	1		6		3		6	
Nephritis and nephrosis (590-594)	2		2		3		1	
Complications of pregnancy and puerperium (640-652; 670-689)	1							
Congenital malformations (750-759)			1		2			
Birth injuries, asphxia, (under 4 weeks.) (760-762)	2		2		1		2	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)			1					
Other diseases of early infancy (under 4 weeks) (770-776)	2		5		2			
Senility, ill defined and unknown causes (780-795)	1		1		3		1	
All other diseases (residual)	5		9		4		13	
Motor vehicle accidents (810-835)	1		5		1		11	
All other accidents (800-802; 840-965)	3		8		3		5	
Suicide and self-inflicted injury (970-979)			1				3	
Homicide (980-985)			1		3			



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	Worth		Wright		St. Louis City		
	White	Colored	White	Colored	Total	White	Colored
Total Estimated Population, July 1, 1952	5,000		15,700			860,000	
LIVE BIRTHS	94	0	311	3	20,854	15,502	5,352
Attended by M.D.	74		226	3	20,598	15,266	5,332
Attended by D.O.	20		83		206	204	2
Attended by midwives					47	31	16
Others or unspecified			2		3	1	2
STILLBIRTHS	1	0	6	0	475	291	184
Attended by M.D.			6		448	283	165
Attended by D.O.	1				5	5	
Attended by midwives							
Others or unspecified					22	3	19
TOTAL DEATHS	60	0	172	0	11,026	8,740	2,286
Under one year of age			14		666	443	223
Neonatal deaths			10		451	309	142
Maternal deaths			1		14	6	8
CAUSES OF DEATH							
Tuberculosis of respiratory system (001-008)			1		208	108	100
Tuberculosis, other forms (010-019)					16	7	9
Syphilis, under 1 year (020-029)							
Syphilis, age 1 year and over (020-029)					65	40	25
Typhoid fever (040)							
Paratyphoid fever (041)							
Undulant fever (044)							
Bacillary dysentery (045)					1		1
Amebic dysentery (046)					1	1	
Other and unspecified dysentery (047-048)							
Scarlet fever and streptococcal sore throat (050-051)					2	1	1
Diphtheria (055)					1	1	
Whooping cough (056)					1	1	
Meningococcal infections (057)					9	5	4
Tularemia (059)							
Tetanus (061)					2	1	1
Acute poliomyelitis (080)					3	3	
Acute infectious encephalitis (082)					2	2	
Measles (085)							
Rabies (094)							
Rocky mountain spotted fever (104)							
Typhus and other rickettsial diseases (100-103; 105-108)							
Malaria (110-117)							
Other infectious and parasitic diseases (030-138, exc. above)	1				16	8	8
Malignant neoplasms (140-205)	10		29		1,663	1,417	246
Benign and unspecified neoplasms (210-239)			1		42	33	9
Diabetes mellitus (260)	1				176	158	18
Anemias (290-293)					29	23	6
Vascular lesions affecting central nervous system (330-334)	7		33		1,105	903	202
Nonmeningococcal meningitis (340)					23	13	10
Rheumatic fever (400-402)					18	9	9
Chronic rheumatic heart disease (410-416)			3		142	110	32
Arteriosclerotic and degenerative heart disease (420-422)	21		36		3,027	2,739	288
Other diseases of heart (430-434)			2		208	124	84
Hypertension with heart disease (440-443)			14		819	523	296
Hypertension w/o mention of heart (444-447)			2		110	73	37
Other diseases of circulatory system (450-468)	4		4		332	248	84
Influenza (480-483)	4		7		10	5	5
Lobar pneumonia 4 weeks (490)	1		5		146	91	55
Bronchopneumonia 4 weeks (491)	1		1		108	84	24
Pneumonia, other forms 4 weeks (492-493)	1		1		76	48	28
Bronchitis (500-502)					21	21	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1		48	31	17
Gastro Enteritis and colitis, 2 years (571.1)					14	5	9
Cirrhosis of liver (581)			1		183	157	26
Other diseases of digestive system (530-587 excl. above)	1		4		287	238	49
Nephritis and nephrosis (590-594)	2		5		167	117	50
Complications of pregnancy and puerperium (640-652; 670-689)			1		14	6	8
Congenital malformations (750-759)			3		120	96	24
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			3		153	108	45
Pneumonia of newborn (under 4 weeks) (763)			2		17	2	5
Diarrhea of newborn (under 4 weeks) (764)					7	7	
Other infections of newborn (under 4 weeks) (765-769)					2		2
Other diseases of early infancy (under 4 weeks) (770-776)			1		233	143	90
Senility, ill defined and unknown causes (780-795)					47	38	9
All other diseases (residual)	3		1		413	297	116
Motor vehicle accidents (810-835)	1		2		230	178	52
All other accidents (800-802; 840-965)	1		6		516	399	117
Suicide and self-inflicted injury (970-979)	1		2		90	87	3
Homicide (980-985)			1		103	21	82



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	City of Cape Girardeau		City of Carthage		City of Clayton		City of Columbia	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952								
LIVE BIRTHS	488	20	220	2	354	3	525	49
Attended by M.D.	466	16	211	2	354	3	519	48
Attended by D.O.	22		9				6	
Attended by midwives		4						1
Others or unspecified								
STILLBIRTHS	5	0	3	0	2	0	7	2
Attended by M.D.	4		3		2		7	2
Attended by D.O.	1							
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	177	8	142	4	178	5	209	45
Under one year of age	8	1	4		4		10	1
Neonatal deaths	8	1	3		4		10	
Maternal deaths	1							
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		1				1	2
Tuberculosis, other forms (010-019)							1	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	1						2	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)							1	
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								1
Acute poliomyelitis (080)							1	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1			
Malignant neoplasms (140-205)	26	1	26		33	1	25	4
Benign and unspecified neoplasms (210-239)								1
Diabetes mellitus (260)	3		1		4		6	
Anemias (290-293)					2			
Vascular lesions affecting central nervous system (330-334)	17		14	2	19		34	11
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	4	1	1		1		1	
Arteriosclerotic and degenerative heart disease (420-422)	41	1	55		61	2	72	11
Other diseases of heart (430-434)	8		2		4		2	
Hypertension with heart disease (440-443)	11	1	8		9		8	3
Hypertension w/o mention of heart (444-447)	3		3		1		7	
Other diseases of circulatory system (450-468)	8		4		5		4	2
Influenza (480-483)	1						1	
Lobar pneumonia 4 weeks (490)	2	1		1				1
Bronchopneumonia 4 weeks (491)			1		1		2	1
Pneumonia, other forms 4 weeks (492-493)								
Bronchitis (500-502)	1	1						
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)	1							
Cirrhosis of liver (581)	1		1		3		3	
Other diseases of digestive system (530-587 excl. above)	5		2		6		5	1
Nephritis and nephrosis (590-594)	5	1	10				4	1
Complications of pregnancy and puerperium (640-652; 670-689)	1							
Congenital malformations (750-759)	5		1		2		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)					2		7	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	4	1	2				1	
Senility, ill defined and unknown causes (780-795)	3				3	1		
All other diseases (residual)	9		5	1	8	1	4	1
Motor vehicle accidents (810-835)	7		2		5		5	4
All other accidents (800-802; 840-965)	5		1		4		9	1
Suicide and self-inflicted injury (970-979)	2		2		4		1	
Homicide (980-985)	2						1	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	City of Ferguson		City of Fulton		City of Hannibal		City of Independence	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952								
LIVE BIRTHS	431	0	120	27	377	23	1,135	13
Attended by M.D.	421		118	26	374	23	1,009	12
Attended by D.O.	9		2	1	3		126	1
Attended by midwives	1							
Others or unspecified								
STILLBIRTHS	6	0	1	0	10	0	15	0
Attended by M.D.	6		1		10		15	
Attended by D.O.								
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	99	1	76	15	250	32	361	13
Under one year of age	5		3	1	9		19	1
Neonatal deaths	5		3	1	8		13	1
Maternal deaths					1			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		1		2	1	1	1
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)	1						2	
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)					1		3	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	25		17		27	7	46	2
Benign and unspecified neoplasms (210-239)					1	1		
Diabetes mellitus (260)	2		1		5		8	
Anemias (290-293)			1		1		1	
Vascular lesions affecting central nervous system (330-334)	11		9	4	29	2	35	
Nonmeningococcal meningitis (340)							1	
Rheumatic fever (400-402)	1		1					
Chronic rheumatic heart disease (410-416)					2	2	3	
Arteriosclerotic and degenerative heart disease (420-422)	28		20	3	91	9	121	2
Other diseases of heart (430-434)	1		1		9	2	3	
Hypertension with heart disease (440-443)	2	1	3	3	20	4	16	
Hypertension w/o mention of heart (444-447)	1		1				8	
Other diseases of circulatory system (450-468)	1		4	1	8		7	
Influenza (480-483)					2		1	
Lobar pneumonia 4 weeks (490)	2		1		1		2	
Bronchopneumonia 4 weeks (491)			1		2		5	1
Pneumonia, other forms 4 weeks (492-493)					2		1	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1		1		3	1	4	
Other diseases of digestive system (530-587 excl. above)	1		1		8		11	1
Nephritis and nephrosis (590-594)	1		1				6	
Complications of pregnancy and puerperium (640-652; 670-689)					1			
Congenital malformations (750-759)	1				2		7	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)					3		5	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)							3	
Other diseases of early infancy (under 4 weeks) (770-776)	5		3	1	3		2	1
Senility, ill defined and unknown causes (780-795)	2					1	6	1
All other diseases (residual)	5		6	1	7		21	1
Motor vehicle accidents (810-835)	1		2		7		12	1
All other accidents (800-802; 840-965)	4			1	7	2	11	
Suicide and self-inflicted injury (970-979)	2		1		6		8	
Homicide (980-985)				1			1	2



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	City of Jefferson City		City of Jennings		City of Joplin		City of Kansas City	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952								
LIVE BIRTHS	480	19	386	2	809	14	9,284	1,659
Attended by M.D.	430	16	371	2	686	13	8,154	1,621
Attended by D.O.	50	3	15		123	1	1,128	34
Attended by midwives								1
Others or unspecified							2	3
STILLBIRTHS	12	0	5	0	11	1	142	27
Attended by M.D.	10		5		10	1	121	24
Attended by D.O.	1				1		19	2
Attended by midwives								
Others or unspecified							2	1
TOTAL DEATHS	184	12	110	0	473	12	4,591	874
Under one year of age	4	2	5		26	1	223	85
Neonatal deaths	2	1	4		19	1	156	52
Maternal deaths							3	2
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	4		1		8		77	33
Tuberculosis, other forms (010-019)							5	2
Syphilis, under 1 year (020-029)								1
Syphilis, age 1 year and over (020-029)			1		3	1	20	6
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								1
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)							1	
Diphtheria (055)							3	
Whooping cough (056)							1	
Meningococcal infections (057)							4	1
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	1				1		15	3
Acute infectious encephalitis (082)							3	
Measles (085)								
Rabies (094)			1					
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1				3		10	2
Malignant neoplasms (140-205)	33	2	17		78	1	693	117
Benign and unspecified neoplasms (210-239)					1		11	7
Diabetes mellitus (260)	1		3		10		64	16
Anemias (290-293)					1		8	2
Vascular lesions affecting central nervous system (330-334)	26	5	12		44	3	536	68
Nonmeningococcal meningitis (340)					2		9	5
Rheumatic fever (400-402)					2		7	1
Chronic rheumatic heart disease (410-416)	3		1		9		63	18
Arteriosclerotic and degenerative heart disease (420-422)	56	2	32		136	3	1,311	98
Other diseases of heart (430-434)	1	1			6		68	16
Hypertension with heart disease (440-443)	19		7		29		197	112
Hypertension w/o mention of heart (444-447)	1				3		29	19
Other diseases of circulatory system (450-468)	7		3		8		150	19
Influenza (480-483)					3		6	4
Lobar pneumonia 4 weeks (490)	3		1		13	1	33	14
Bronchopneumonia 4 weeks (491)	2				6		82	19
Pneumonia, other forms 4 weeks (492-493)		1	3		8		17	5
Bronchitis (500-502)							5	2
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1		9	10
Gastro Enteritis and colitis, 2 years (571.1)					1		3	2
Cirrhosis of liver (581)					4		85	7
Other diseases of digestive system (530-587 excl. above)	4				11		116	24
Nephritis and nephrosis (590-594)	2		1		6	1	73	34
Complications of pregnancy and puerperium (640-652; 670-689)							3	2
Congenital malformations (750-759)	2		3		5		61	4
Birth injuries, asphxia, (under 4 weeks.) (760-762)	1		1		9		61	14
Pneumonia of newborn (under 4 weeks) (763)							5	4
Diarrhea of newborn (under 4 weeks) (764)							5	1
Other infections of newborn (under 4 weeks) (765-769)							3	
Other diseases of early infancy (under 4 weeks) (770-776)		1	1		6	1	50	30
Senility, ill defined and unknown causes (780-795)			3		3	1	167	22
All other diseases (residual)	8		8		18		213	59
Motor vehicle accidents (810-835)			3		11		82	11
All other accidents (800-802; 840-965)	8		7		15		180	25
Suicide and self-inflicted injury (970-979)	1		1		6		29	1
Homicide (980-985)					3		77	34



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	City of Kirkville		City of Kirkwood		City of Maplewood		City of Mexico	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952								
LIVE BIRTHS	265	3	596	47	284	5	296	27
Attended by M.D.	110		594	46	281	5	205	21
Attended by D.O.	155	3	2	1	2		88	6
Attended by midwives								
Others or unspecified								
STILLBIRTHS	1	0	11	3	4	0	5	2
Attended by M.D.			11	3	4		5	1
Attended by D.O.	1							1
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	159	2	184	23	151	3	103	16
Under one year of age	6	2	11	2	10	1	4	2
Neonatal deaths	4	1	11	2	10	1	3	1
Maternal deaths			1					
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		3	1	1		1	1
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								1
Syphilis, age 1 year and over (020-029)	1							
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)	1							
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)			1					
Tularemia (059)								
Tetanus (061)					1			
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			1					
Measles (085)	1							
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)							1	
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	18		37	3	28	1	24	
Benign and unspecified neoplasms (210-239)							5	
Diabetes mellitus (260)	3		1		1			
Anemias (290-293)	1		1				12	3
Vascular lesions affecting central nervous system (330-334)	23		17	4	17			
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	2		3		2			
Arteriosclerotic and degenerative heart disease (420-422)	39		56	3	36	1	20	1
Other diseases of heart (430-434)	2		2		1		2	1
Hypertension with heart disease (440-443)	8		7	2	9		7	3
Hypertension w/o mention of heart (444-447)	3		1					
Other diseases of circulatory system (450-468)	6		6		4		2	
Influenza (480-483)	6		1		1			
Lobar pneumonia 4 weeks (490)	1		2	1	2		1	
Bronchopneumonia 4 weeks (491)	4	1					1	
Pneumonia, other forms 4 weeks (492-493)	2			1	1			1
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1		2		4		1	1
Other diseases of digestive system (530-587 excl. above)	4		5	1	4		3	2
Nephritis and nephrosis (590-594)	7				3		5	
Complications of pregnancy and puerperium (640-652; 670-689)			1					
Congenital malformations (750-759)	1		1				1	1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	3		1		2		1	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)			1	8	2	8	1	1
Other diseases of early infancy (under 4 weeks) (770-776)								
Senility, ill defined and unknown causes (780-795)			5	3	7			
All other diseases (residual)	6		6	1	4		5	
Motor vehicle accidents (810-835)	4		3	1	2			
All other accidents (800-802; 840-965)	7		9		10		9	
Suicide and self-inflicted injury (970-979)	3		2		3		1	
Homicide (980-985)	1		2					



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	City of Moberly		City of Overland		City of Poplar Bluff		City of Richmond Heights	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952								
LIVE BIRTHS	244	19	979	4	351	27	314	29
Attended by M.D.	166	8	938	4	328	18	313	29
Attended by D.O.	78	10	41		21	6	1	
Attended by midwives					2	2		
Others or unspecified		1				1		
STILLBIRTHS	3	0	16	1	3	0	8	0
Attended by M.D.	3		16	1	3		8	
Attended by D.O.								
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	191	17	202	0	190	26	146	7
Under one year of age	9	3	15		22	1	10	
Neonatal deaths	7	1	11		13	1	9	
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2				2	1		
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)					1			
Syphilis, age 1 year and over (020-029)	1		1		1	1	1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)					2			
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)	1		1					
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1			
Malignant neoplasms (140-205)	20		37		25		28	2
Benign and unspecified neoplasms (210-239)					1		1	
Diabetes mellitus (260)	5		2		2		1	
Anemias (290-293)			1		2		1	
Vascular lesions affecting central nervous system (330-334)	12	3	23		15	5	15	1
Nonmeningococcal meningitis (340)			2					
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1		5		3	1	1	1
Arteriosclerotic and degenerative heart disease (420-422)	67	6	50		53	4	47	1
Other diseases of heart (430-434)	5		1			1	1	1
Hypertension with heart disease (440-443)	9	2	13		19	3	14	1
Hypertension w/o mention of heart (444-447)			2					
Other diseases of circulatory system (450-468)	8		1		4			
Influenza (480-483)	3	1					1	
Lobar pneumonia 4 weeks (490)	5		3		3	1		
Bronchopneumonia 4 weeks (491)	1				4	1	3	
Pneumonia, other forms 4 weeks (492-493)		1	3		3	1		
Bronchitis (500-502)	1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1				3			
Gastro Enteritis and colitis, 2 years (571.1)							1	
Cirrhosis of liver (581)	4				3		1	
Other diseases of digestive system (530-587 excl. above)	5	1	2		6	1	3	
Nephritis and nephrosis (590-594)	4		2		1	2	1	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	4		3		6		2	
Birth injuries, asphxia, (under 4 weeks.) (760-762)	2		5		1	1	3	
Pneumonia of newborn (under 4 weeks) (763)			1		1			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)					2		1	
Other diseases of early infancy (under 4 weeks) (770-776)	2	1	4		5		3	
Senility, ill defined and unknown causes (780-795)	1		9				4	
All other diseases (residual)	7	1	12		5	1	6	
Motor vehicle accidents (810-835)	8		8		5		1	
All other accidents (800-802; 840-965)	11	1	9		7	1	3	
Suicide and self-inflicted injury (970-979)	1		2		2		1	
Homicide (980-985)					2	1	1	



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

	City of St. Charles		City of St. Joseph		City of Sedalia		City of Sikeston	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952								
LIVE BIRTHS								
Attended by M.D.	430	11	1,384	59	421	34	287	60
Attended by D.O.	427	11	1,218	58	348	34	258	6
Attended by midwives	3		164	1	73		17	
Others or unspecified			2				12	53
STILLBIRTHS								
Attended by M.D.	3	0	22	2	12	1	4	6
Attended by D.O.	3		20	2	10	1	3	2
Attended by midwives			2		2		1	
Others or unspecified								3
TOTAL DEATHS								
Under one year of age	161	2	936	50	250	39	98	19
Neonatal deaths	11	1	44	4	9	1	11	2
Maternal deaths	7	1	35	2	9	1	5	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		13	2	2		1	1
Tuberculosis, other forms (010-019)					1			
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			10					1
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)			1					
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)			1					
Acute poliomyelitis (080)	1		1					
Acute infectious encephalitis (082)								
Measles (085)			1					
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	
Malignant neoplasms (140-205)	28	1	153	3	37	7	6	1
Benign and unspecified neoplasms (210-239)			6		1			
Diabetes mellitus (260)	2		19		2	1	4	
Anemias (290-293)			4					
Vascular lesions affecting central nervous system (330-334)	16		126	11	27	4	11	3
Nonmeningococcal meningitis (340)					2			
Rheumatic fever (400-402)			2					
Chronic rheumatic heart disease (410-416)			26	3	2			
Arteriosclerotic and degenerative heart disease (420-422)	49		296	14	96	11	38	1
Other diseases of heart (430-434)	3		5	1				
Hypertension with heart disease (440-443)	7		28	2	20	2	3	3
Hypertension w/o mention of heart (444-447)	5		8	1	2	4	1	
Other diseases of circulatory system (450-468)	9		32	4	4	1	1	
Influenza (480-483)			6		1	1		
Lobar pneumonia 4 weeks (490)	1		6		1	2		1
Bronchopneumonia 4 weeks (491)	2		6	2	1		4	2
Pneumonia, other forms 4 weeks (492-493)	1		3		4		1	1
Bronchitis (500-502)			1			1		
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	1		8		1		2	
Other diseases of digestive system (530-587 excl. above)	5		15		5	1	2	
Nephritis and nephrosis (590-594)	2		9		4	2		
Complications of pregnancy and puerperium (640-652; 670-689)			2					
Congenital malformations (750-759)	5		8			1	2	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		18	2	8		1	
Pneumonia of newborn (under 4 weeks) (763)	1		1					
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)			1					
Other diseases of early infancy (under 4 weeks) (770-776)	3	1	8		1		3	
Senility, ill defined and unknown causes (780-795)	1		3					
All other diseases (residual)	4		38	2	11		2	1
Motor vehicle accidents (810-835)	1		22		2		5	
All other accidents (800-802; 840-965)	8		37	3	11	1	7	3
Suicide and self-inflicted injury (970-979)	3		12		3		1	
Homicide (980-985)					1		1	1



## Births, Stillbirths and Specified Causes of Death by Residence - 1952

		City of Springfield		City of University City		City of Webster Groves			
		White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1952									
LIVE BIRTHS		1,565	52	922	1	550	44		
Attended by M. D.		1,505	52	917	1	548	44		
Attended by D. O.		58		5		2			
Attended by midwives									
Others or unspecified		2							
STILLBIRTHS		18	1	6	0	8	1		
Attended by M. D.		18	1	6		8	1		
Attended by D. O.									
Attended by midwives									
Others or unspecified									
TOTAL DEATHS		745	42	391	1	212	20		
Under one year of age		34	8	15		7			
Neonatal deaths		28	4	10		7			
Maternal deaths		1	1						
CAUSES OF DEATH									
Tuberculosis of respiratory system (001-008)		10		1		2			
Tuberculosis, other forms (010-019)			1						
Syphilis, under 1 year (020-029)									
Syphilis, age 1 year and over (020-029)		2		1					
Typhoid fever (040)									
Paratyphoid fever (041)									
Undulant fever (044)									
Bacillary dysentery (045)									
Amebic dysentery (046)									
Other and unspecified dysentery (047-048)									
Scarlet fever and streptococcal sore throat (050-051)									
Diphtheria (055)									
Whooping cough (056)									
Meningococcal infections (057)									
Tularemia (059)									
Tetanus (061)				1					
Acute poliomyelitis (080)		1		2					
Acute infectious encephalitis (082)									
Measles (085)									
Rabies (094)									
Rocky mountain spotted fever (104)									
Typhus and other rickettsial diseases (100-103; 105-108)									
Malaria (110-117)									
Other infectious and parasitic diseases (030-138, exc. above)		1		1					
Malignant neoplasms (140-205)		89	3	76		46	1		
Benign and unspecified neoplasms (210-239)				1					
Diabetes mellitus (260)		10		12		2			
Anemias (290-293)		5							
Vascular lesions affecting central nervous system (330-334)		94	8	45		23	2		
Nonmeningococcal meningitis (340)		1				1			
Rheumatic fever (400-402)		1				1			
Chronic rheumatic heart disease (410-416)		11		8		2			
Arteriosclerotic and degenerative heart disease (420-422)		224	5	120		77	6		
Other diseases of heart (430-434)		14		3	1	1			
Hypertension with heart disease (440-443)		52	5	27		11	3		
Hypertension w/o mention of heart (444-447)		11	1	4		1	1		
Other diseases of circulatory system (450-468)		34	1	10		5			
Influenza (480-483)		4	1						
Lobar pneumonia 4 weeks (490)		2	3	1		3			
Bronchopneumonia 4 weeks (491)		8	1	2			1		
Pneumonia, other forms 4 weeks (492-493)		6		4		2			
Bronchitis (500-502)		1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			2						
Gastro Enteritis and colitis, 2 years (571.1)		1	1						
Cirrhosis of liver (581)		10		2		1			
Other diseases of digestive system (530-587 excl. above)		17		8		2	1		
Nephritis and nephrosis (590-594)		9		3		2			
Complications of pregnancy and puerperium (640-652; 670-689)		1	1						
Congenital malformations (750-759)		8		9		2			
Birth injuries, asphxia, (under 4 weeks.) (760-762)		13	1	1		5			
Pneumonia of newborn (under 4 weeks) (763)		2							
Diarrhea of newborn (under 4 weeks) (764)		1							
Other infections of newborn (under 4 weeks) (765-769)			1						
Other diseases of early infancy (under 4 weeks) (770-776)		9	2	3					
Senility, ill defined and unknown causes (780-795)		7		10		6	2		
All other diseases (residual)		31	4	14		6			
Motor vehicle accidents (810-835)		26		9		5			
All other accidents (800-802; 840-965)		18	1	8		2			
Suicide and self-inflicted injury (970-979)		10		3		3			
Homicide (980-985)		1		2		1	3		